[100% PASS GUARANTEED Braindump2go Cisco 400-051 Practice Exam Questions Guarantee Your Cisco 400-051 Real Test Totally Success

CISCO OFFICIAL: New Updated 400-051 Exam Questions from Braindump2go 400-051 PDF Dumps and 400-051 VCE Dumps! Welcome to Download the Newest Braindump2go 400-051 VCE&PDF Dumps: http://www.braindump2go.com/400-051.html (347 Q&As) Quick and Effective Cisco 400-051 Exam Preparation Options - Braindump2go new released 400-051 Exam Dumps Questions! Cisco Official 400-051 relevant practice tests are available for Instant downloading at Braindump2go! PDF and VCE Formates, easy to use and install! 100% Success Achievement Guaranteed!400-051 Dumps,400-051 Questions,400-051 PDF,400-051 VCE,400-051 Study Guide,400-051 Practice Tests,400-051 CCIE Collaboration Dumps,400-051 Practice

Tests,400-051 Practice Exams **CCIE Collaboration Written: 400-051** Product Description Exam Number/Code: 400-051 Exam Number/Code: 400-051 "CCIE Collaboration Written", also known as 400-051 exam, is a Cisco Certification. With the complete collection of questions and answers. Braindump2go has assembled to take you through 347 Q&As to your 400-051 Exam preparation. In the 400-051 exam resources, you will cover every field and category in Cisco helping to ready you for your successful Cisco Certification Questions and Answers: 347 Q&As Updated: Sep 11, 2015 \$120.00 \$99.99 Braindump2go offers free demo for 400-051 exam (CCIE Collaboration Written). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. Printable PDF
Premium VCE + VCE Simulator O CHECK OUT

QUESTION 298The Information Technologies policy of your company mandates logging of all calls that last less than one second in Call Detail Records. Which option is the minimum Cisco Unified CM Service Parameter configuration that is needed to ensure compliance to this policy? A. Set CDR Enabled Flag to True.B. Set CDR Log Calls with Zero Duration Flag to True.C. CDR Enabled Flag and CDR Log Calls with Zero Duration Flag to True.D. Set CDR Enabled Flag to True and set Call Diagnostics Enabled to Enabled Only When CDR Enabled Flag is True.E. Leave CDR Enabled Flag and Call Diagnostics Enabled to their default settings. Answer: C QUESTION 299Where can a Cisco Unified CM administrator define Call Detail Records data collection interval? A. Cisco Unified CM Administration Service ParametersB. Cisco Unified CM Administration Enterprise Parameters C. Cisco Unified Serviceability D. Cisco Unified Reporting E. Call Detail Records data collection internal is not a configurable parameter. Answer: B QUESTION 300Which Cisco Unified CM service is responsible for writing Call Detail Records into flat files? A. Cisco CallManagerB. Cisco CDR AgentC. Cisco CDR Repository ManagerD. Cisco SOAP ?CallRecord ServiceE. Cisco Extended Functions Answer: A QUESTION 301Which Cisco Unified CM service is responsible for writing Call Management Records into the CDR Analysis and Reporting database? A. Cisco CDR AgentB. Cisco CAR DBC. Cisco CDR Repository ManagerD. Cisco CAR SchedulerE. Cisco Extended Functions Answer: D QUESTION 302Which directory path on Cisco Unified CM publisher is used to temporarily store the Call Detail Records collected from other nodes until they are processed by the CDR Repository Manager? A. car/yyyymmddB. preserve/yyyymmddC. cdr/yyyymmddD. collected/yyyymmddE. processed/yyyymmdd Answer: B QUESTION 303Which Cisco Unified CM service is responsible for periodically checking disk usage and deleting old Call Management Records files? A. Cisco CallManagerB. Cisco CDR AgentC. Cisco CDR Repository ManagerD. Cisco SOAP ?CallRecord ServiceE. Cisco Extended Functions Answer: C QUESTION 304Refer to the exhibit. 10.1.1.1 and 10.1.1.2 are node IP addresses of a Cisco Unified CM cluster. Which statement describes the correct Cisco Unified CM configurations that produced the output shown in the exhibit? Gatekeeper#show gatekeeper endpoint

GATEKEEPER ENDPOINT REGISTRATION

Port Zone Name

CallSignalAddr Port RASSignalAddr

10.1.1.1 1/20 10.1.1.2 149309

10.1.1.2 1720 10.1.1.2 149309

10.1.1.2 1720 10.1.1.2 149309

Voice Capacity Max.= Avail.= Current.= 0

10.1.1.1 1720 20.1.1.1 49262

Voice Capacity Max.= Avail.= Current.= 0

Total number of active registrations = 3

Flags

VOIP-GW

H323-GW

A. Device Name on the Cisco Unified CM Gatekeeper configuration page is HQGK.B. Device Name on the Cisco Unified CM H.225 Trunk (Gatekeeper Controlled) configuration page is HQGK.C. Device Name on the Cisco Unified CM H.225 Trunk (Gatekeeper Controlled) configuration page is HQGK_1,HQGK_2.D. Device Name on the Cisco Unified CM Gatekeeper configuration page is HQGK_1,HQGK_2.E. Not enough information has been provided to answer this question. Answer: B QUESTION 305Refer to the exhibit. 10.1.1.1 and 10.1.1.2 are node IP addresses of a Cisco Unified CM cluster. Which two statements describe the correct Gatekeeper Information parameters on Cisco Unified CM H.225 Trunk (Gatekeeper Controlled) configuration page that could produce the output shown in the exhibit? (Choose two.)

Gatekeeper#show gatekeeper gw

GATEWAY TYPE PREFIX TABLE

Prefix: 1*

Zone GK master gateway list:
10.1.1.2:49392 HQGK_2
10.1.1.1:50972 HQGK_1

A. Default Technology Prefix is 1*.B. Technology Prefix is 1.C. H.323 IDs are HQGK_1 and HQGK_2.D. H.323 ID is HQGK.E. Technology Prefix is 1*.F. Zone name is HQGK. Answer: BE QUESTION 306Refer to the exhibit. 10.1.1.1 and 10.1.1.2 are node IP addresses of a Cisco Unified CM cluster. Which two options are the correct Cisco IOS Gatekeeper configuration that could produce the output shown in the exhibit? (Choose two.)

Gatekeeper#show gatekeeper gw

GATEWAY TYPE PREFIX TABLE

Frefix: 1*

Zone GK master gateway list:

10.1.1.2:49392 HQGK_2

10.1.1.1:50972 HQGK_1

A. gw-type-prefix 1 default-technologyB. no shutdownC. zone local GK cciecollab.comD. Zone remote HQGK_2 cciecollab.com 10.1.1.2E. gw-type-prefix 1* default-technologyF. Zone remote HQGK_1 cciecollab.com 10.1.1.1 Answer: BC QUESTION 307Refer to the exhibit. Debug RAS output is logged on a H.323 gateway. Which RAS message is sent next by the

H.323 gateway?

In 10 02:31:25.598: h323chan.gw.conn: Created socket fd=1323chan.dgram_send:Sent UDP msg. Bytes sent: 50 to 224.0.1.41:1718 fd=2

Jan 10 02:31:25.598: R54Lib::GW R55SendGRQ::GRQ (senf 47) sent to 224.0.1.41

Jan 10 02:31:25.598: R54Lib::GW R55SendGRQ::GRQ (senf 47) sent to 224.0.1.41

Jan 10 02:31:25.598: R54Lib::GW R55SendGRQ::GRQ (senf 47) sent to 224.0.1.41


Jan 10 02:31:25.598: R54Lib::GW R55SendGRQ::GRQ (senf 47) sent to 224.0.1.41

Jan 10 02:31:25.598: R54Lib::GW R55SendGRQ::GRQ (senf 47) sent to 224.0.1.41

Jan 10 02:31:25.598: R54Lib::GW R55SendGRQ::GRQ (senf 47) sent to 224.0.1.41

Jan 10 02:31:25.598: GCF (seqf 47) rcvd from f323chan.dgram_send:Sent UDP msg.

A. ARQB. BRQC. IRQD. LRQE. RRQ Answer: E QUESTION 308Which three parameters are requested in an Audit Endpoint message from a Cisco Unified CM to an endpoint on a MGCP gateway? (Choose three.) A. Bearer InformationB. Call IDC. CapabilitiesD. Connection IDE. Connection ModeF. Connection ParametersG. Request IdentifierH. Observed Events Answer: CDG Braindump2go Promises All our customers: 100% All Exams Pass Or Full Money Back! Our experts have complied the fail proof 400-051 Exam content to help all candidates pass your 400-051 certification exam easily in the first attempt and score the top possible grades too.Do you want to sucess? Come to Braindump2go and our experts team will tell you what you need to do! 400-051 Exam Dumps Full Version Download:



 $[100\%\ PASS\ ENSURE] 400-051\ PDF\ Dumps\ \&\ 400-051\ VCE\ Dumps\ Full\ Version\ Download (347q): http://www.braindump2go.com/400-051.html$