2015 Microsoft Official Latest Updated 70-484 Exam Dumps Questions Free Download Provided By Braindump2go (1-10)

Braindump2go Updates Microsoft 70-484 Exam Dumps Questions, adds some new changed questions from Microsoft Official Exam Center. Want to know 2015 70-484 Exam test points? Download the following free Braindump2go Latest Exam Questions Today! Vendor: MicrosoftExam Code: 70-484Exam Name: Microsoft Essentials of Developing Windows Store Apps using C#Keywords: 70-484 Exam Dumps,70-484 Practice Tests,70-484 Practice Exams,70-484 Exam Questions,70-484 PDF,70-484 VCE Free,70-484 Book,70-484 E-Book,70-484 Study Guide,70-484 Braindump,70-484 Prep Guide Compared Before Buying Microsoft 70

Pass4sure	Braindump2go	
	100% Pass OR Money Ba	
118 Q&As - Practice	162 Q&As - Real Questions	
\$124.99	\$99.99	
No Discount	Coupon Code: BDNT2014	

Case Study: 1 - Scenario 1 (QUESTION 11 - QUESTION 13) Background You are developing a Windows Store app by using C# and XAML. The app will allow users to share and rate photos. The app will also provide information to users about photo competitions. Application Structure The app stores data by using a class that is derived from the DataStoreBase class. The app coordinates content between users by making calls to a centralized RESTful web service. The app has a reminder system that displays toast notifications when a photo competition is almost over. The app gets the competition schedule data from the web service. The app displays a list of images that are available for viewing in a data-bound list box. The image file list stores paths to the image files. The app downloads new images from the web service on a regular basis. Relevant portions of the app files are shown. (Line numbers are included for reference only and include a two-character prefix that denotes the specific file to which they belong.) Business Requirements The app must allow users to do the following: Run the app on a variety of devices, including devices that have limited bandwidth connections.- Share and synchronize high resolution photographs that are greater than 1 MB in size.- Rate each photo on a scale from 1 through 5.Technical RequirementsThe app must meet the following technical requirements:- Retain state for each user and each device.- Restore previously saved state each time the app is launched.- Preserve user state and photo edits when switching between this app and other apps.- When the app resumes after a period of suspension, refresh the user interface, tile images, and data with current information from the web service.- Update the image list box as new images are added to the image file list.- Convert the image paths into images when binding the image file list to the list box. The app must store cached images on the device only, and must display images or notifications on the app tile to meet the following requirements:- Regularly update the app tile with random images from the user's collection displayed one at a time.- When a photo is displayed on the tile, one of the following badges must be displayed:- If the photo has a user rating, the tile must display the average user rating as a badge.- If the photo does not have a rating, the tile must display the Unavailable glyph as a badge.- Update the app tile in real time when the app receives a notification.- Display only the most recent notification on the app tile. The app must display toast notifications to signal the end of a photo competition. The toast notifications must meet the following requirements:- Display toast notifications based on the schedule that is received from the web service.- Display toast notifications for as long as possible.- Display toast notifications regardless of whether the app is running.- When a user clicks a toast notification that indicates the end of the photo competition, the app must display the details of the photo competition that triggered the toast notification.

```
App.xaml.cs
AXO1 using System:

AXO2 using Windows.ApplicationModel.Activation:

AXO3 using Windows.OI.Xaml:Controls:

AXO4 using Windows.OI.Xaml:Controls:
             sealed partial class App : Application
                 private DispatcherTimer tileUpdateTimer = new DispatcherTimer();
private DispatcherTimer badgeUpdateTimer = new DispatcherTimer();
                 public App()
                    this.InitializeComponent();
tileUpdateTimer.Tick == TileUpdateTimer_Tick;
tileUpdateTimer.Interval = new TimeSpan(0, 0, 10);
tileUpdateTimer.Start();
badgeUpdateTimer.Tick == SadgeUpdateTimer Tick;
badgeUpdateTimer.Tick == New TimeSpan(0, 1, 0);
badgeUpdateTimer.Start();
AX20
AX21
              private void SendNotification (Xnibocurer SurrentTemplate)
AX20
AX21
AX22
AX23
AX24
AX25
AX26
AX27
AX28
AX30
AX31
AX32
AX33
AX34
AX35
AX36
AX37
                     var tileUpdater = TileUpdateManager.CreateTileUpdaterForApplication();
                   roid TileUpdateTimer_Tick(object sender, object e)
                 void BadgeUpdateTimer_Tick(object sender, object e)
                 protected override void OnLaunched(LaunchActivatedEventArgs args)
                     var rootFrame = new Frame()
rootFrame.Navigate(typeof()
Window.Current.Content = ro
Window.Current.Activate();
                                                                    rootFrame
```

```
DataStoreBase.cs

DB01 using System;
DB02 namespace Application1
DB03 {
DB04 public abstract class DataStoreBase}
DB05 {
DB06 public abstract bool SaveLocalSetting(string key, string value);
DB07 public abstract bool SaveDotalToReligiting key, string value);
DB09 public abstract bool SaveDotalToReligiting key, string value);
DB09 public abstract bool SaveDotalToReligiting key, string yenString);
DB10 public abstract bool SaveDotalToReligiting (string key, string jeonString);
DB11 public abstract bool SaveDotalToReligiting (string key);
DB12 public abstract bool SaveDataToReligiting (string key);
DB13 public abstract string GetDotalSetting(string key);
DB14 public abstract string GetDotalSetting(string key);
DB15 public abstract string GetDataFromCocalStorage(string key);
DB16 public abstract string GetDataFromCocalStorage(string key);
DB17 public abstract string GetDataFromCocalStorage(string key);
DB18 }
DB19 }
```

QUESTION 1You need to ensure that launching the app displays the required information. From which Application Execution State enumeration should you configure the user interface state? A. Closed By User B. Suspended C. Not Running D. Running E. Terminated Answer: EExplanation: The user closes the app through the close gesture or Alt+F4 and takes longer than 10 seconds to activate the app again. - From scenario: The app must meet the following technical requirements: - Retain state for each user and each device. - Restore previously saved state each time the app is launched. Your app can use activation to restore previously saved data in the event that the operating system terminates your app, and subsequently the user re-launches it. The OS may terminate your app after it has been suspended for a number of reasons. The user may manually close your app, or sign out, or the system may be running low on resources. http://msdn.microsoft.com/en-us/library/windows/apps/hh464925.aspx QUESTION 2You need to choose the appropriate data binding strategy for the image list box. Which method should you use? A.

System.Drawing.ImageConverter.ConvertToString()B. IValueConverter.ConvertBack()C. IValueConverter.Convert()D. System.Drawing. ImageConverter-ConvertFromStrin() Answer: CExplanation:IValueConverter.ConvertThe data binding engine calls this method when it propagates a value from the binding source to the binding target. QUESTION 3You need to configure toast notifications for the photo competition.Which code segment should you use?

((XNIELement) currentTemplate.CreateElement ("notify")).SetAttribute

```
("duration", "5000");

(B. ((Xmillement) currentTemplate.GetElementsByTagName ("toast") [0]).SetAttribute
("duration", "long");

(C. ((Xmillement) currentTemplate.GetElementsBy_Name("toast")[0]).SetAttribute
("duration", "short");

(D. ((Xmillement) currentTemplate.CreateElement("duration")).SetAttribute
("value", "long");
```

A. Option AB. Option BC. Option CD. Option D Answer: BExplanation: The app must display toast notifications to signal the end of a photo competition. The toast notifications must meet the following requirements:- Display toast notifications for as long as possible QUESTION 4You need to ensure that only the correct information is preserved when the user switches to another app. Which actions should you perform? (Each correct answer presents part of the solution. Choose all that apply.) A. Save application

state by calling the SaveDataToRoamingStorage() method,B. Save photographs by calling the SaveDataToLocalStorage() method. Save photographs by calling the SaveDataToWebService() method.D. save application state by calling the SaveDataToLocalStorage() method. Answer: ABExplanation: A: From scenario: The app must meet the following technical requirements: Retain state for each user and each device. B: From scenario: The app must store cached images on the device only QUESTION 5You need to ensure that the app resumes according to the requirements. Which actions should you perform? (Each correct answer presents part of the solution. Choose all that apply.) A. Retrieve new user content by using the Window.Current.Dispatcher.ProcessEvents() method in the App_Resuming event handler.B. update the user interface by using the Window.Current.Dispatcher.Invoke() method in the App_Resuming event handler.C. Override the OnLaunched event handler.D. Retrieve new user content by using the Window.Current.Dispatcher.ProcessEvents() method in the OnLaunched event handler when the ActivationKind is Launch.E. Update the user interface by using the Window.Current.Dispatcher.Invoke() method in the OnLaunched event handler when the ActivationKind is Launch.F. Register the App_Resuming event handler for theResuming event. Answer: ABExplanation: From scenario: The app must meet the following technical requirements: When the app resumes after a period of suspension, refresh the user interface, tile images, and data with current information from the web service. QUESTION 6You need to choose the appropriate data binding strategy for the image list box. Which method should you use? A. System.Drawing.ImageConverter.ConvertTo(value, typeof(Image))B. IValueConverter.Convert()C. System.Drawing.ImageConverter.ConvertFrom(value, typeof(Image), Culturelnfo.CurrentUICulture)D. IValueConverter.ConvertBacfc () Answer: BExplanation:IValueConverter.ConvertThe data binding engine calls this method when it propagates a value from the binding source to the binding target. QUESTION 7You need to identify the class to use as the data context for the image list box. Which class should you use? A. System. Collections. Object Model. CollectionObserver<T>B. System.Collections.ObjectModel.ObservableCollection<T>C. System.Collections.Generic.IEnumerator<T>D. System.Collections.Generic.IEnumerable<T> Answer: BExplanation:ObservableCollection<T> ClassRepresents a dynamic data collection that provides notifications when items get added, removed, or when the whole list is refreshed. QUESTION 8A photo competition is ending. You need to meet the requirements when a user clicks the toast notification. Which code segment should you

((XmlElement)currentTemplate.GetElementsByTagName("binding")[0])
.SetAttribute("trigger", competitionID); currentTemplate.GetElementsByTagName("binding").First() AppendChild(currentTemplate.CreateTextNode(competitionID)); Braindump2go.com
currentTemplate.GetElementsByFagNamer toast").First()
.AppendChild(currentTemplate.CreateTextNode(competitionID)); ((XmlElement)currentTemplate.GetElementsByTagName("toast")[0]) .SetAttribute("launch", competitionID);

Option AB. Option BC. Option CD. Option D Answer: DExplanation: From scenario: When a user clicks a toast notification that indicates the end of the photo competition, the app must display the details of the photo competition that triggered the toast notification. QUESTION 9You need to correctly display notifications on the app tile. Which code segments should you insert at line AX24? (Each correct answer presents part of the solution. Choose all that apply.) A tileOpdater.EnableNotificationQueue(false); tileUpdater.EnableNotificationQueue(true);

ExpirationTime = DateTimeOffset.Now.AddMinute

tileUpdater.AddToSchedule(new ScheduledTileNoti: currentTemplate, DateTimeOffset.Now.AddMinutes

Option AB. Option BC. Option CD. Option D Answer: ACExplanation: From scenario: Display toast notifications based on the schedule that is received from the web service. Display only the most recent notification on the app tile. QUESTION 10You need to ensure that resuming the app displays the required information. From which Application Execution State enumeration should you configure the user interface state? A. TerminatedB. NotRuntiinqC. SuspendedD. RunningE. ClosedByUser Answer: C Explanation:- From scenario: The app must meet the following technical requirements:- Preserve user state and photo edits when switching between this app and other apps.- When the app resumes after a period of suspension, refresh the user interface, tile images, and data with current information from the web service. Switching between apps suspends the app. 100% 70-484 Complete Success & Money Back Guarantee! By utilizing Braindump2go high quality Microsoft 70-484 Exam Dumps Products, You can surely pass 70-484 certification 100%! Braindump2go also offers 100% money back guarantee to individuals in case they fail to

pass Microsoft 70-484 in one attempt.

Compared Before Buying Microsoft 70-484 PDF & VCE!		
Pass4sure	Braindump2go	Test King
	100% Pass OR Money Back	
118 Q&As - Practice	162 Q&As – Real Questions	50 Q&As - Practice
\$124.99	\$99.99	\$124.99
No Discount	Coupon Code: BDNT2014	No Discount

http://www.braindump2go.com/70-484.html