

[2016-MAY-NEWFree Braindump2go 70-333 Training Material Download[NQ7-NQ12


2016 May Microsoft 70-333 Exam Questions Updated in Braindump2go.com Online IT Certification Exams Study Website! NEW QUESTION 7 - NEW QUESTIONS 12 Case Study 2 - Litware, inc General OverviewLitware, Inc. is a marketing company that has 20,000 users. Physical Locations Litware has a main office and a branch office. The main office is located in New York. The branch office is located in Montreal. The offices connect to each other by using a WAN link. Each office connects directly to the Internet. Each office has a firewall between the internal network and the perimeter network. Each office has a firewall between the perimeter network and the Internet. Existing Environment Active Directory Infrastructure The network contains an Active Directory Domain Services (AD DS) forest named litware.com. The forest contains a single domain. All domain controllers run Windows Server 2012. Each office contains two domain controllers. Each office is configured as an Active Directory site. Skype for Business Server InfrastructureThe network contains a Skype for Business Server 2015 infrastructure. The infrastructure contains 12 servers. The servers are configured as shown in the following table.Litware uses the following Skype for Business features:- Instant messaging (IM)- A/V conferencingThe Skype for Business Server 2015 infrastructure is configured to use federation with users at a partner company, which is named Contoso, Ltd. Contoso has a SIP domain named contoso.com. The users at Contoso use Microsoft Skype for Business Online.Litware has a Microsoft Exchange Server 2013 organization. You integrate Exchange 2013 with Skype for Business Server 2015. Planned Changes Litware plans to implement the following changes: - Enable Enterprise Voice for all users. - Add IP phones to the existing VLANs.- Add a SIP trunk to each site. Problem Statements Litware identifies the following issues:-The current firewall configurations allow all ports and all protocols to the Skype for Business Server 2015 infrastructure.- A change to the Skype for Business hosted provider proxy FQDN recently caused the federation with contoso.com to become unavailable. RequirementsBusiness GoalsLitware plans to minimize hardware and software purchasing costs. Technical RequirementsLitware identities the following technical requirements:- The Enterprise Voice solution must ensure that calls to Canada are routed through the SIP trunk in the Montreal office. Litware identifies 39 area codes and a country code of 1 for Canada. You must minimize the number of voice routes that you must create. - The Enterprise Voice solution must ensure that calls to any country besides Canada are routed through the SIP trunk in the New York office. Litware identifies 269 area codes and a country code of 1 for the United States.- If the SIP trunk in the New York office fails, users in the Montreal office must be able to place international calls.- The provider of the New York SIP trunk requires that the 011 prefix be used to make all international calls. Rules exist to ensure that dialed numbers conform to E.164 standards. - Application sharing for up to 200 simultaneous remote users and 100 simultaneous internal users in a single conference must be supported. Each application sharing session uses 500 Kbps. Only users on the internal network are presenters of the conferences. You must minimize the amount of bandwidth needed to application sharing. - Users in the New York and Montreal offices must be able to dial a local number to access their voice mail remotely. Subscriber access must be available in French for the Montreal office users and in English and Spanish for the New York office users. - Skype for Business Phone Edition devices must be supported. Users must be able to access their voice mail only from the Skype for Business client by clicking Call Voice Mail.- You must minimize the number of access numbers and UM dial plans that you create. Security Requirements Allow only the required communications through the firewalls for the supported Lync services. Response Group RequirementsLitware plans to create a response group for support calls to meet the following requirements:- Incoming calls must be routed to any support staff who are online and available. - If the support call is not answered by a support staff member, the call must be forwarded to the group of managers on call that day.- Calls forwarded to the managers must be sent to the manager who has not answered a support call in the longest amount of time. QUESTION 7Hotspot QuestionYou need to create the Unified Messaging (UM) dial plans and access numbers for subscriber access. How many UM dial plans and access numbers should you create? To answer, select the appropriate number of UM dial plans and access numbers in the answer area. 4



QUESTION 8You need to create a rule to meet the technical requirements for international dialing from the SIP trunk in the New York office. Which type of rule should you create? A. called number translationB. normalizationC. dialingD. calling number translation Answer: A QUESTION 9Hotspot QuestionYou need to allocate bandwidth required for application sharing. How much bandwidth in kilobits per second (Kbps) should you allocate? To answer, select the appropriate amount of bandwidth for each

network connection in the answer area. From the client cor







You need to recommend which action must be performed to meet the technical requirements for Enterprise Voice routing. What should you add? A. PSTN1 to VP1B. PSTN1 to VP2C. PSTN2 to VP1D. PSTN2 to VP2 Answer: C QUESTION 12Remote users report that they fail to access their voice mail by using the Call Voice Mail option in the Skype tor Business client. Remote users can access voice mail by using the subscriber access number. Internal users do not report any issues accessing voice mail. You need to enable voice mail access without manually dialing the subscriber number. Which two sets of ports should you open? Each correct answer presents part of the solution. A. TCP 443 and UDP 3478 on the external firewallB. TCP 5062 and 8057 on the internal firewall. TCP 5062 and 8057 on the external firewall C. TCP 443 and UDP 3478 on the internal firewallD. UDP 50,000 to 59,999 on the internal firewallE. UDP 50,000 to 59,999 on the external firewall Answer: A 2016 Valid Microsoft

70-333 Exam Preparation Materials:1.Latest 70-333 PDF Dumps and 70-333 VCE Dumps 57Q&As - 100% Exam Pass Guaranteed! http://www.braindump2go.com/70-333.html2.Valid 70-333 Exam Questions - Just New Exa Questions: https://drive.google.com/folderview?id=0B75b5xYLjSSNdjc1U1ZXZUJYVVU&usp=sharing