

70-448 Exam Dumps PDF&VCE Free Download From Braindump2go (31-40)

Do you want to pass Microsoft 70-448 Exam ? If you answered YES, then look no further. Braindump2go offers you the best 70-448 exam questions which cover all core test topics and certification requirements. All REAL questions and answers from Microsoft Exam Center will help you be a 70-448 certified! Exam Code: 70-448 Exam Name: Microsoft SQL Server 2008, Business Intelligence Development and Maintenance Certification Provider: Microsoft Corresponding Certifications: MCITP: Business Intelligence Developer 2008, MCSA, MCSA: SQL Server 2008, MCTS, MCTS: Microsoft SQL Server 2008, Business Intelligence Development and Maintenance Keywords: 70-448 Exam Dumps, 70-448 Practice Tests, 70-448 Practice Exams, 70-448 Exam Questions, 70-448 PDF, 70-448 VCE Free, 70-448 Book, 70-448 E-Book, 70-448 Study Guide, 70-448 Braindump, 70-448 Prep Guide

Compa

Pas

332 Q&As

\$125.99

No Discour

QUESTION 31 You are managing a SQL Server 2008 Analysis Services (SSAS) instance for Company.com. In order to execute the Usage-Based Optimization Wizard you should make query logging enable. Which is the correct answer? A. You should make the QueryLogSampling server attribute default value. B. You should make the QueryLogSampling server attribute 5. C. You should configure the server property of DefaultFolders. D. You should configure the QueryLogConnectionString server attribute and set a valid connection string. Answer: D Explanation: Enabling the Query Log The query log captures the query activity as users and applications interact with the server. To enable the query log in SSMS, right-click the Analysis Services server node, and then select Properties. Next, in the Analysis Server Properties dialog box, shown in Figure 8-20, set the QueryLog properties Table 8-4

QueryLog Properties	Property Description
CreateQueryLogTable	When set to True and if the server account has sufficient privileges, the server will create the log table if it does not already exist.
QueryLogConnectionString	A valid connection string to a SQL Server database; the query log is disabled if this property is empty.
QueryLogSampling	The frequency for query sampling. By default, every tenth query is logged.
QueryLogTableName	The name of the table in a SQL Server database that will capture the query statistics. The default table name is OlapQueryLog

QUESTION 32 You are managing a SQL Server 2008 Analysis Services (SSAS) database for Company.com. You get the Duplicate Key error when you operate the Analysis Services database. You should alter the ErrorConfiguration attribute in order to make processing run normally. Which is the correct answer? A. You should alter the Dynamic Management View (DMV) B. You should alter the Local Group C. You should alter the dimension D. You should alter the Transactions Log Answer: C

QUESTION 33 You are managing a SQL Server 2008 Analysis Services (SSAS) database for Company.com. In order to update data in a partition each hour you should run the incremental processing method. In order to solve the problem, which is the correct answer? A. You should utilize ProcessAdd for Analysis (XMLA) command B. You should utilize default command for Analysis (XMLA) C. You should utilize ProcessNone for Analysis (XMLA) command D. You should utilize ProcessView for Analysis (XMLA) command Answer: A Explanation: BEST PRACTICES CONSIDER FULLY PROCESSING THE ENTIRE DATABASE fully processing the entire SSAS database is the cleanest and easiest solution to process all objects in the database, but it is not necessarily the fastest. Because SSAS processes objects in parallel and has a very efficient processing architecture that can handle some 10,000 records per second, you might find that you can process even large cubes within a reasonable time frame. Consider more advanced processing options, such as incremental processing (ProcessUpdate), only when fully processing the database is not an option.

QUESTION 34 You are developing a SQL Server 2008 Reporting Services (SSRS) report for Company.com. Assembly should be created in order to run real-time lookup and currency conversion. The assembly has a static class named daily which lives in the namespace HomeCalc. there is a method called DMO which need two arguments, Curren and HomeCalc When the report is operating, you should reference the ToEUR method in an expression to convert USD to US. Which is the correct answer? A. You should use the expression of =Code. HomeCalc. Daily. US (Fields! Curren.Value, " DMO ") B. You should use the expression of =Code! HomeCalc. Daily. US (Fields! Curren.Value, " DMO ") C. You should use the expression of = HomeCalc. Daily.US (Fields! Curren.Value, "USD") D. You should use the expression of = HomeCalc! Daily.US (Fields! Curren.Value, "USD") Answer: C Explanation: A little bit different wording You work as a database administrator at Lead2pass.com. You are in the process of creating a SQL Server 2008 Reporting Services (SSRS) report for Lead2pass.com.

QUESTION 35 You are managing a SQL Server 2008 Analysis Services (SSAS) instance which includes a database

for Company.com. You alter the DataDir attribute of the instance to a new folder. You should make sure that instance utilizes the new folder in least time. Which is the correct answer? A. You should operate the database. B. You should operate the database at the same time. C. You should stop the Analysis Services service. D. Before stopping the Analysis Services service you should remove the files in the original folder, Answer: A

QUESTION 36 You are managing a SQL Server 2008 Analysis Services (SSAS) database which includes a dimension called Product for Company.com. You should set the Dimension Data configurations as following: Deny access to the {[Product].[Country].[USA],[Product].[Country].[China]} configure of property workers. New workers increased to the property are seen by default. Which is the correct answer? A. You should increase the whole country members. B. You should increase property below: [Country].[China],[Product].[Country].[USA]} C. You should increase property below: [Country].[China],[Product].[Country].[USA]} D. You should increase property below: [Country].[China],[Product].[Country].[USA]} Answer: B

QUESTION 37 You are creating SQL Server 2008 Integration Services (SSIS) packages which is stored in a folder on the network for Company.com. All members of the team can view the packages but not the attribute values. Your task is to make the attribute values be protected by password. Which is the correct answer below? A. You should Use a batch file that runs the dtutil program to set the Package ProtectionLevel property to Encrypt Sensitive With Password on each of the SSIS packages you have B. You should Use a batch file that runs the dtutil program to set the Package ProtectionLevel property to Server Storage on each of the SSIS packages you have created. C. You should Use the SSIS package designer to set the Package Protection Level property to EncryptAll With User Key on each of the previously saved packages. D. You should Use the SSIS package designer to set the Package Protection Level property to EncryptSensitive With User Key on each of the previously saved packages. Answer: A

Explanation: You can deploy single SSIS packages manually, but a better choice is to use the DTUtil command-line tool, which lets you write a command for the deployment and then automate the process. You could deploy the package to the local SQL Server using Windows Authentication by including a simple command, such as this: dtutil.exe / FILEc:IntegrateCRM.dtsx / COPY SQL;IntegrateCRM Other command-line switches let you specify the destination SQL Server and SQL Server user name and password as needed.

Table 4-2 ProtectionLevel Options	Option Description
DontSaveSensitive	Sensitive information is not saved in the package at all. Each time the package is reopened in BIDS, the connection passwords must be reentered. For package execution, the password needs to be stored in a package configuration or passed to the package through the command-line setting. This is the recommended setting if you are exclusively using Windows Authentication for your connections.
EncryptAllWithPassword	The entire package is encrypted with a password that is set in the PackagePassword property. To open the package in BIDS, you need to enter the correct package password, and the package cannot be executed without passing the password to the package at execution
EncryptAllWithUserKey	The entire package is encrypted based on the current user and computer. Only the user who last designed or exported the package can design or execute the package. A package cannot be opened in BIDS unless it is opened by the user who developed it, on the computer on which it was developed. The package can be executed only through the same user account on the same computer.
EncryptSensitiveWithPassword	The sensitive information in the package is encrypted based on a package password, which is set in the PackagePassword property. Each time the package is reopened, a password must be provided. If the password is not provided, the package will open, but all sensitive data will be replaced with blanks. If a user attempts to execute the package without a password, the execution will fail.
EncryptSensitiveWithUserKey	The sensitive information (connection passwords) in the package is encrypted based on the current user and computer. If the same user reopens the package, nothing is changed. If a different user opens the package, all the sensitive information is cleared out. Other users can still design or execute the package, but they need to enter the password or pass the password into the package through the command line or SSIS configurations.
ServerStorage	This setting can be used only when a package is stored in a SQL Server database. Server storage means that nothing in the package definition is encrypted. Instead, the entire package is protected by using a SQL Server database role. This option is not supported when a package is saved to the file system. If encryption is enabled in the package by using any of the ProtectionLevel options except ServerStorage and DontSaveSensitive, the encrypted data is saved along with the rest of the package's information in the .dtsx file. If the entire package is encrypted, all the .dtsx file's XML code is encrypted, and the XML cannot be read by a text editor. SSIS encrypts the data by using the Microsoft Data Protection Application Programming Interface (DPAPI).

QUESTION 38 You are managing a SQL Server 2008 Analysis Services (SSAS) database for Company.com. Through utilizing SQL Profiler, you decide to troubleshoot search function. You should make sure that it will cost a lot of time to query. Which is the correct answer? A. You should utilize store procedure. B. You should utilize Query Subcube. C. You should utilize a Dynamic Management View (DMV) D. You should utilize Transactions Log. Answer: B

Explanation: The server raises the Query Begin event when it receives an MDX query and the Query End event when it has finished executing the query. The Query Subcube event shows which attributes the server used to satisfy the query. When configuring the trace, you can check the Query Subcube Verbose event to see these attributes in a human-readable format

QUESTION 39 You are developing a report which is difficult and cost a lot of time to produce. You use

the technology of SQL Server 2008 Reporting Services (SSRS). You should make sure that you could set the report server to cache the report for 40 minutes at the beginning of the request. Which is the correct answer? A. Report snapshots should be run for report. B. You should run report execution caching for report. C. You should set the data source to utilize a DBCC INDEXDEFRAG. D. You should set the data source to utilize a DBCC SHRINKFILE. INDEXDEFRAG

Answer: B

Explanation: By default, a report is rendered using the most recent data. This means that every execution starts by reading the database data. This could be a large processing burden on a production server. To reduce the load on your server, you can cache a temporary copy of a report. SSRS caches the report in the ReportServer database with all the data but without any of the rendering information. If a report exists in the cache, when the next user runs the report, the user gets the data from the cache, and there is no need to reread data from the database. With report caching, Reporting Services can create and store a copy of the intermediate format report in a temporary SQL Server database named ReportServerTempDB in the Execution- Cache table. Even when the first request from a user follows the schema presented earlier, the processing of subsequent requests is altered as follows:

1. A request is sent to Report Server.
2. Report Server validates the properties associated with the object requested. If report execution is set to use the cache, and an item already exists in the ExecutionCache table of the ReportServerTempDB database for the ReportID of the requested report and the parameters passed are the same, Report Server renders the report from the stored intermediate format.

Using Report Snapshots for Report Execution

If you cache a report, the first user who runs the report after the cache has expired will have to wait longer to view the report than the users who follow, because the first user triggers the data being read from the database. You can prevent this problem by creating a snapshot of the data in advance of the first report being run. To do this, select the Render This Report From An Execution Snapshot option in the execution properties of a report. You can create a snapshot based on a shared or a report-specific schedule. In addition, you can create the first snapshot immediately after you save the execution settings. Another caching consideration is determining whether previous versions of the cache should be persisted. Persistence of previous values in reports might be required by business users for comparison purposes or to be able to refer to those numbers later. Using snapshots, you can create persistent copies of a report and store those copies in the report history.

QUESTION 40

You are developing a SQL Server 2008 Analysis Server (SSAS) method which includes a measure group called TestGroup with a one partition for Company.com. The condition listed below should be included:- Searches which utilize TestGroup on the newest version of the information.- In a many aspects format, the whole collections which are member of TestGroup are reserved.

In order to solve the problem, which is the correct answer? A. You should configure Real-time hybrid online analytical processing (HOLAP). B. You should configure Real-time relational offline analytical processing (ROLAP). C. You should configure scheduled relational offline analytical processing (ROLAP). D. You should configure scheduled online processing (MOLAP).

Answer: A

Explanation: HYBRID OLAP As its name suggests, HOLAP is a hybrid between MOLAP and ROLAP. In HOLAP, the cube data remains in the relational store, but the aggregations are stored on the SSAS server. HOLAP is the most efficient mode in terms of disk space because detail-level data is not duplicated, as it is with MOLAP, and HOLAP requires less space to store aggregations than ROLAP does.

EXAM TIP

Choose the HOLAP storage mode if you want to store cube aggregations on the SSAS server but keep the fact data in the source database. In terms of query performance, HOLAP scores in the middle. If the query can be satisfied entirely by existing aggregations, HOLAP performs as well as MOLAP. But if it cannot be satisfied, the query is sent to the relational database, and performance suffers. In terms of processing times, HOLAP cubes might be processed faster than either MOLAP or ROLAP cubes because data is read only once to create aggregations. However, because SSAS has an efficient storage architecture, in real life MOLAP and HOLAP should give you comparable processing times, so it is best to consider HOLAP only for large historical partitions that are queried infrequently.

100% Full Money Back Guarantee Promised By Braindump2go to All 70-448 Exam Candidates: Braindump2go is confident that our NEW UPDATED 70-448 Exam Questions and Answers are changed with Microsoft Official Exam Center, If you cannot PASS 70-448 Exam, nevermind, we will return your full money back! Visit Braindump2go exam dumps collection website now and download 70-448 Exam Dumps Instantly Today!

Compared Before Buying Microsoft 70-448 PDF & VCE!

Pass4sure	Braindump2go 100% Pass OR Money Back	Test King
332 Q&As - Practice	352 Q&As - Real Questions	332 Q&As - Practice
\$125.99	\$99.99	\$124.99
No Discount	Coupon Code: BDN2014	No Discount

<http://www.braindump2go.com/70-448.html>