

Free Braindump2go Latest 70-516 Exam PDF Guarantee 100% 70-516 Certification Get (31-40)

MICROSOFT NEWS: 70-516 Exam Questions has been Updated Today! Get Latest 70-516 VCE and 70-516 PDF Instantly!

Welcome to Download the Newest Braindump2go 70-516 VCE&70-516 PDF Dumps:

<http://www.braindump2go.com/70-516.html> (286 Q&As) Microsoft 70-516 Exam Questions has already been updated recently! Braindump2go Provide you the Latest 70-516 Exam Dumps: 70-516 PDF and 70-516 VCE! Braindump2go helps you keep in step with Microsoft Official Exam Center! Exam Code: 70-516 Exam Name: TS: Accessing Data with Microsoft .NET Framework 4 Certification Provider: Microsoft Corresponding Certifications: MCPD, MCPD: Web Developer 4, MCPD: Windows Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Data Access [70-516 Dumps](#), [70-516 Dumps PDF](#), [70-516 Exam PDF](#), [70-516 Book](#), [70-516 Study Guide](#), [70-516 eBook](#), [70-516 eBook PDF](#), [70-516 Exam Questions](#), [70-516 Training Kit](#), [70-516 PDF](#), [70-516 Microsoft Exam](#), [70-516 VCE](#), [70-516 Braindump](#), [70-516 Braindumps PDF](#), [70-516 Braindumps Free](#), [70-516 Practice Test](#), [70-516 Practice Exam](#), [70-516 Preparation](#), [70-516 Preparation Materials](#), [70-516 Practice Questions](#)

TS: Accessing Data with Microsoft .NET Framework 4



Product Description Exam Number

Exam Number/Code: 70-516

TS: Accessing Data with Microsoft .NET Framework 4 Certification. With the complete collection of 286 Q&As to help you pass the exam, you will cover every field and concept for your successful Microsoft Certification.

Free Demo Download

Braindump2go offers free demo for 70-516 exam (TS: Accessing Data with Microsoft .NET Framework 4). You can check out the interface, questions, and answers before you decide to buy it.

Questions and Answers : 286 Q&As
Updated: Nov 22, 2015
~~\$429.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

☒ Printable PDF ☒ Premium VCE + VCE

QUESTION 31 Which class should you use to manage multiple tables and relationships among them? A. DataRowB. DataViewC. DataTableD. DataSet Answer: D QUESTION 32 You want to set up a primary key on a column. Which properties on the data column must be set? (Each correct answer presents part of a complete solution. Choose three.) A. MappingTypeB. AutoIncrementSeedC. AutoIncrementStepD. AutoIncrement Answer: BCD QUESTION 33 If you want to assign a Car object to a column called CarObject, which attribute must be on the Car class to enable saving the data table to a file? A. BindableB. DataObjectC. SerializableD. FileIOPermission Answer: C QUESTION 34 You are storing custom Car objects in a data table that will be serialized to a file. After serializing to a binary file called cars.bin, you open the file with a binary editor and notice that XML is in the file. Which setting can you use to ensure that you will create a binary file without embedded XML? A. Set the BatchUpdate setting to SerializationFormat.Binary.B. Set the RemotingFormat property to SerializationFormat.Binary.C. Set the DefaultView property to SerializationFormat.Binary.D. Set the Constraints property to SerializationFormat.Binary. Answer: B QUESTION 35 Which code segment will properly return the TimeSpan returned by the stopWatch variable? A. Stopwatch stopWatch = new Stopwatch(); stopWatch.Start(); DoSomething(); stopWatch.Stop(); TimeSpan ts = stopWatch.Elapsed; string elapsedTime = String.Format("{0:00}:{1:00}:{2:00}.{3:00}", ts.Hours, ts.Minutes, ts.Seconds, ts.Milliseconds / 10); Console.WriteLine(elapsedTime, "RunTime"); private void DoSomething() { ... } B. Stopwatch stopWatch = new Stopwatch(); stopWatch.Start(); DoSomething(); stopWatch.Reset(); TimeSpan ts = stopWatch.Elapsed; string elapsedTime = String.Format("{0:00}:{1:00}:{2:00}.{3:00}", ts.Hours, ts.Minutes, ts.Seconds, ts.Milliseconds / 10); Console.WriteLine(elapsedTime, "RunTime"); private void DoSomething() { ... } C. Stopwatch stopWatch = new Stopwatch(); stopWatch.Start(); DoSomething(); TimeSpan ts = stopWatch.Elapsed; string elapsedTime = String.Format("{0:00}:{1:00}:{2:00}.{3:00}", ts.Hours, ts.Minutes, ts.Seconds, ts.Milliseconds / 10); Console.WriteLine(elapsedTime, "RunTime"); private void DoSomething() { ... } D. Stopwatch stopWatch = new Stopwatch(); stopWatch.Begin(); DoSomething(); stopWatch.End(); TimeSpan ts = stopWatch.Elapsed; string elapsedTime = String.Format("{0:00}:{1:00}:{2:00}.{3:00}", ts.Hours, ts.Minutes, ts.Seconds, ts.Milliseconds / 10); Console.WriteLine(elapsedTime, "RunTime"); private void DoSomething() { ... } Answer: A Explanation: Stopwatch Class(

<http://msdn.microsoft.com/en-us/library/system.diagnostics.stopwatch.aspx> QUESTION 36 You are tasked with performing a code review. The business rule is the following:- If INSERTs into the first table succeed, then INSERT into the second table. - However, if the INSERTs into the second table fail, roll back the inserts in the second table but do not roll back the inserts in the first table. - Although this can also be done by way of regular transactions, It needs to be performed using TransactionScope objects. Which code would fit this business rule? A. try{using (TransactionScope scope1 = new TransactionScope(TransactionScopeOption){Try{.....using (TransactionScope scope2 = new TransactionScope(TransactionScopeOption)){ }}}} }B. try{using (TransactionScope scope1 = new TransactionScope(TransactionScopeOption.Required)){ ...using (TransactionScope scope2 = new TransactionScope(TransactionScopeOption.RequiresNew)){ }.....}}C. try{using (TransactionScope scope1 = new TransactionScope(TransactionScopeOption.Required)){ ...}using (TransactionScope scope2 = new TransactionScope(TransactionScopeOption.RequiresNew)){}}D. try{using (TransactionScope scope1 = new TransactionScope(TransactionScopeOption.Required)){Try{.....using (TransactionScope scope2 = new TransactionScope(TransactionScopeOption.RequiresNew)){ }}}} Answer: D Explanation: Required A transaction is required by the scope. It uses an ambient transaction if one already exists. Otherwise, it creates a new transaction before entering the scope. This is the default value. RequiresNew A new transaction is always created for the scope. Suppress The ambient transaction context is suppressed when creating the scope. All operations within the scope are done without an ambient transaction context. Transaction Scope (EXAMPLE 3) (<http://msdn.microsoft.com/en-us/library/bb896149%28SQL.100%29.aspx>) TransactionScopeOption Enumeration (<http://msdn.microsoft.com/en-us/library/system.transactions.transactionscopeoption.aspx>) QUESTION 37 Which method will return all nodes of an XDocument? A. doc.DescendantNodes(); B. doc.Descendants(); C. doc.Root.Allnodes(); D. doc.GetAllnodes(); Answer: A Explanation: public IEnumerable<XNode> DescendantNodes() Returns a collection of the descendant nodes for this document or element, in document order. public IEnumerable<XElement> Descendants() Returns a collection of the descendant elements for this document or element, in document order. QUESTION 38 Which one of these samples is the correct way to close the connection using Command Behavior? A. SqlDataReader rdr = new SqlDataReader(); string sql = @"sql statement"; SqlConnection conn = connection.GetConnection(); SqlCommand cmd = new SqlCommand(sql, conn); SqlDataReader rdr = cmd.ExecuteReader(CommandBehavior.CloseConnection); Console.WriteLine("{0}", rdr); B. SqlDataReader rdr = new SqlDataReader(); string sql = @"sql statement"; SqlConnection conn = connection.GetConnection(); SqlCommand cmd = new SqlCommand(sql, conn); SqlDataReader rdr = cmd.ExecuteReader(CommandBehavior.CloseConnection); rdr.Close(); Console.WriteLine("{0}", rdr); C. SqlDataReader rdr = new SqlDataReader(); string sql = @"sql statement"; SqlConnection conn = connection.GetConnection(); SqlCommand cmd = new SqlCommand(sql, conn); SqlDataReader rdr = cmd.ExecuteReader(CommandBehavior.CloseConnection); conn.Close(); Console.WriteLine("{0}", rdr); D. using (SqlDataReader rdr = new SqlDataReader()){ string sql = @"sql statement"; SqlConnection conn = connection.GetConnection(); SqlCommand cmd = new SqlCommand(sql, conn); SqlDataReader rdr = cmd.ExecuteReader(CommandBehavior.CloseConnection); Console.WriteLine("{0}", rdr);} Answer: B Explanation: An alternative to explicitly closing the Connection is to pass CommandBehavior.CloseConnection to the ExecuteReader method to ensure that the associated connection is closed when the DataReader is closed. This is especially useful if you are returning a DataReader from a method and do not have control over the closing of the DataReader or associated connection. When you close the data reader and you use CommandBehavior.CloseConnection-the SQL connection also closes <http://msdn.microsoft.com/en-us/library/ms971481.aspx> QUESTION 39 You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4.0 to create an application. The application connects to a Microsoft SQL Server 2008 database. The database includes a database table named ProductCatalog as shown in the exhibit: You add the following code segment to query the first row of the ProductCatalog table. (Line numbers are included for reference only.) 01 using(SqlConnection cnx = new SqlConnection(connString)) 02 { 03 var command = cnx.CreateCommand(); 04 command.CommandType = CommandType.Text; 05 command.CommandText = "SELECT TOP 1 * FROM dbo.ProductCatalog"; 06 cnx.Open(); 07 var reader = command.ExecuteReader(); 08 if (reader.Read()) 09 { 10 var id = reader.GetInt32(0); 11 ... 12 reader.Close(); 13 } 14 } Which answer belongs in line 11? A. var weight = reader.GetDouble(1); var price = reader.GetDecimal(2); var status = reader.GetBoolean(3); B. var weight = reader.GetFloat(1); var price = reader.GetDecimal(2); var status = reader.GetByte(3); C. var weight = reader.GetDouble(1); var price = reader.GetFloat(2); var status = reader.GetBoolean(3); D. var weight = reader.GetFloat(1); var price = reader.Double(2); var status = reader.GetByte(3); Answer: A QUESTION 40 You have been assigned the task of writing code that executes an Entity SQL query that returns entity type objects that contain a property of a complex type. (Line numbers are included for reference only.) 01 using (EntityCommand cmd = conn.CreateCommand()) 02 { 03 cmd.CommandText = esqlQuery; 04 EntityParameter param = new EntityParameter(); 05 param.ParameterName = "id"; 06 param.Value = 3; 07 cmd.Parameters.Add(param); 08 using (EntityDataReader rdr =

```
cmd.ExecuteReader(CommandBehavior.SequentialAccess)) 09 { 10 while (rdr.Read()) 11 { 12 ...13 Console.WriteLine("Email and  
Phone Info:"); 14 for (int i = 0; i < nestedRecord.FieldCount; i++) 15 { 16 Console.WriteLine(" " + nestedRecord.GetName(i) + ": " +  
+ nestedRecord.GetValue(i)); 17 } 18 } 19 } 20 } Which code segment should you insert at line 12? A. DbDataRecord  
nestedRecord = rdr["EmailPhoneComplexProperty"] as DbDataRecord; B. DbDataRecord nestedRecord =  
rdr["EmailPhoneComplexProperty"] C. DataSet nestedRecord = rdr["EmailPhoneComplexProperty"] as ComplexDataSetD.  
ComplexDataRecord nestedRecord = rdr["EmailPhoneComplexProperty"] Answer: A Explanation: How to: Execute a Query that  
Returns Complex Types (http://msdn.microsoft.com/en-us/library/bb896329.aspx) using (EntityConnection conn = new  
EntityConnection(ConfigurationManager.ConnectionStrings ["StoreConnection"].ConnectionString)){ using (EntityCommand comm  
= conn.CreateCommand()) { // Here StoreConnection-ObjectContext name, Customers-correct DataSet name comm.CommandText  
= "Select Customers.CustomerID, Customers.Name, Customers.Address from StoreConnection.Customers where  
Customers.CustomerID=@qqqCustomerID"; EntityParameter param = new EntityParameter("qqqCustomerID", DbType.Int32);  
param.Value = 1; comm.Parameters.Add(param); conn.Open(); var reader =  
comm.ExecuteReader(CommandBehavior.SequentialAccess); while (reader.Read()) { DbDataRecord record = reader["Address"] as  
DbDataRecord; for (int i = 0; i < record.FieldCount; i++) { name.Text += "<br/>" + record.GetName(i) + " : " +  
record.GetValue(i).ToString(); } } reader.Close(); } } All 286 Microsoft 70-516 Exam Dumps Questions are the New Checked and  
Updated! In recent years, the 70-516 certification has become a global standard for many successful IT companies. Looking to  
become a certified Microsoft professional? Download Braindump2go 2015 Latest Released 70-516 Exam Dumps Full Version and  
Pass 70-516 100%!
```

TS: Accessing Data with Microsoft .NET Framework 4: 70-516



Questions and Answers : 286
Q&As

Updated: Nov 22, 2015

~~\$429.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

Product Description Exam Number/Code: 70-516

Exam Number/Code: 70-516

"TS: Accessing Data with Microsoft .NET Framework 4", also known as 70-516 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 286 Q&As to your 70-516 Exam preparation. In the 70-516 exam resources, you will cover every field and category in Microsoft MCPD helping to ready you for your successful Microsoft Certification.

Free Demo Download

Braindump2go offers free demo for 70-516 exam (TS: Accessing Data with Microsoft .NET Framework 4). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

☒ [Printable PDF](#) ☒ [Premium VCE + VCE Simulator](#)

FREE DOWNLOAD: NEW UPDATED 70-516 PDF Dumps & 70-516 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-516.html> (286 Q&A)