

## [May-2018-NewFull Version 70-761 VCE Dumps 135Q for Free Download[63-73

2018 May New Microsoft 70-761 Exam Dumps with PDF and VCE Just Updated Today! Following are some new 70-761 Real Exam Questions:1.[2018 Latest 70-761 Exam Dumps (PDF & VCE) 135Q

Download:<https://www.braindump2go.com/70-761.html>2.[2018 Latest 70-761 Exam Questions & Answers

Download:<https://drive.google.com/drive/folders/0B75b5xYLjSSNZG9yTW9reVdkZG8?usp=sharing>  
**QUESTION 63**You are writing a set of queries against a FILESTREAM-enabled database. You create a stored procedure that will update multiple tables within a transaction. You need to ensure that if the stored procedure raises a run-time error, the entire transaction is terminated and rolled back. Which Transact-SQL statement should you include at the beginning of the stored procedure?  
A. SET TRANSACTION ISOLATION LEVEL SERIALIZABLE  
B. SET XACT\_ABORT ON  
C. SET IMPLICIT\_TRANSACTIONS OFF  
D. SET XACT\_ABORT OFF  
**Answer: B**  
**Explanation:** SET XACT\_ABORT - Specifies whether SQL Server automatically rolls back the current transaction when a Transact-SQL statement raises a run-time error.  
**QUESTION 64**Which index type gives high performance gains for analytic queries that scan large amounts of data, especially on large tables?  
A. Rowstore  
B. Columnstore  
**Answer: B**  
**Explanation:** Use columnstore indexes on data warehousing and analytics workloads, especially on fact tables, since they tend to require full table scans rather than table seeks.  
**QUESTION 65**You can use the PIVOT and UNPIVOT relational operators to change a table-valued expression into another table. Which clause rotates a table-valued expression by turning the unique values from one column in the expression into multiple columns in the output, and performs aggregations where they are required on any remaining column values that are wanted in the final output?  
A. PIVOT  
B. UNPIVOT  
**Answer: A**  
**QUESTION 66**A DML trigger is an action programmed to execute when a data manipulation language (DML) event occurs in the database server. DML events include UPDATE, INSERT, or DELETE statements issued against a table or view. Which of the following is TRUE regarding INSTEAD OF triggers?  
A. All of these  
B. INSTEAD OF triggers fire in place of the triggering action and before constraints are processed  
C. If there are AFTER triggers on the table, they will fire after constraint processing  
D. If the constraints are violated, the AFTER trigger is not executed.  
**Answer: A**  
**QUESTION 67**Which Transact-SQL clause is described below? Generates totals that appear as additional summary columns at the end of the result set. When used with BY, the \_\_\_\_ clause generates control-breaks and subtotals in the result set.  
A. AVG  
B. COMPUTE  
C. None of these  
D. SUM  
**Answer: C**  
**QUESTION 68**The transaction isolation level controls the locking and row versioning behavior of Transact-SQL statements issued by a connection to SQL Server. Which of the following transaction isolation levels is the default in SQL Server 2016?  
A. READ COMMITTED  
B. READ UNCOMMITTED  
C. REPEATABLE READ  
D. SERIALIZABLE  
**Answer: A**  
**QUESTION 69**Study the JSON string shown in the image. Which Path parameter would NOT result in an error when used by JSON\_VALUE in strict mode?  
A. \$.info."address"  
B. \$.info.address.town  
C. \$.info.type[0]  
**Answer: B**  
**Explanation:** JSON\_VALUE extracts a scalar value from a JSON string. In strict mode it will throw an error if the return result is a nested value/object. If you want to extract a nested value you must use JSON\_QUERY instead.

**QUESTION 70**As part of a global e-commerce business you are developing a Microsoft SQL Server database that supports the company's online website. The application contains a table that has the following definition:  
CREATE TABLE Inventory (ItemID int NOT NULL PRIMARY KEY, ProductsInStore int NOT NULL, ProductsInWarehouse int NOT NULL)  
You need to create a computed column that returns the sum total of the ProductsInStore and ProductsInWarehouse values for each row. Which T-SQL statement should you use?  
A. ALTER TABLE Inventory ADD ProductsInStore - ProductsInWarehouse = TotalProducts  
B. ALTER TABLE Inventory ADD TotalProducts AS ProductsInStore + ProductsInWarehouse  
C. ALTER TABLE Inventory ADD TotalProducts AS SUM(ProductsInStore, ProductsInWarehouse)  
D. ALTER TABLE Inventory ADD TotalProducts = ProductsInStore + ProductsInWarehouse  
**Answer: B**  
**QUESTION 71**You are developing a Microsoft SQL Server database. You create a view that performs the following tasks:  
Joins 10 tables that contain up to 400,000 records each.  
Performs aggregations on 4 fields.  
The view is frequently used in several detailed reports. You need to improve the performance of the reports. What should you do?  
A. Convert the view into a table-valued function  
B. Convert the view into an indexed view  
C. Convert the view into a stored procedure and retrieve the result from the stored procedure into a temporary table  
D. Convert the view into a Common Table Expression (CTE)  
**Answer: B**  
**Explanation:** The first index created on a view must be a unique clustered index. After the unique clustered index has been created, you can create more nonclustered indexes. Creating a unique clustered index on a view improves query performance because the view is stored in the database in the same way a table with a clustered index is stored. The query optimizer may use indexed views to speed up the query execution. The view does not have to be referenced in the query for the optimizer to consider that view for a substitution.

**QUESTION 72**Is the following statement TRUE or FALSE? JSON is not a built-in data type in SQL Server 2016, and SQL Server 2016 does not have custom JSON indexes?  
A. TRUE  
B. FALSE  
**Answer: A**  
**QUESTION 73**The != operator is a comparison operator that compares two expressions. However, if ANSI\_NULLS is set to ON

and one of the operands is NULL, what will the result be? expression != expression (NULL) A. FALSE B. 0 C. TRUE D. NULL  
Answer: D  
Explanation: If either or both operands are NULL and SET ANSI\_NULLS is set to ON, the result is NULL. If SET ANSI\_NULLS is set to OFF, the result is FALSE if one of the operands is NULL, and TRUE if both operands are NULL.

**!!!RECOMMEND!!!** 1. | 2018 Latest 70-761 Exam Dumps (PDF & VCE) 135Q

Download: <https://www.braindump2go.com/70-761.html> 2. | 2018 Latest 70-761 Exam Questions & Answers

Download: <https://drive.google.com/drive/folders/0B75b5xYLjSSNZG9yTW9reVdkZG8?usp=sharing>