

## Microsoft Official Exam Center New Changed 70-433 Questions In PDF & VCE Format Offered By Braindump2go For Free Download (141-150)

Try 2015 Latet Updated 70-433 Practice Exam Questions and Answers, Pass 70-433 Actual Test 100% in 2015 New Year! Braindump2go Latest released Free Sample 70-433 Exam Questions are shared for instant download! Braindump2go holds the confidence of 70-433 exam candiates with Microsoft Official Guaranteed 70-433 Exa Dumps Products! 210 New Updated Questions and Answers! 2015 Microsoft 70-433 100% Success! Exam Code: 70-433Exam Name: TS: Microsoft SQL Server 2008, Database DevelopmentCertification Provider: MicrosoftKeywords: 70-433 Exam Dumps,70-433 Practice Tests,70-433 Practice Exams,70-433 Exam Questions,70-433 PDF,70-433 VCE Free,70-433 Book,70-433 E-Book,70-433 Study Guide,70-433 Braindump,70-433 Prep Guide

Compared Before Buying Microsoft 70-433 PDF & VCE!		
Pass4sure	Braindump2go	Test King
	100% Pass OR Money Back	
202 Q&As - Practice	210 Q&As - Real Questions	202 Q&As - Practice
\$125.99	\$99.99	\$124.99
No Discount	Coupon Code: BDNT2014	No Discount

QUESTION 141 You need to identify which tables are referenced by name in a stored procedure that does not use dynamic SQL. Which catalog view should you use? A. sys.procedures B. INFORMATION\_SCHEMA.TABLES C. INFORMATION\_SCHEMA.ROUTINES D. sys.sql\_expression\_dependencies Answer: D QUESTION 142 BEGIN TRAN INSERT INTO table ('Food') BEGIN TRAN INSERT INTO table ('Beverages') COMMIT TRAN ROLLBACK TRAN In table will be folowing items: A. None B. Food C. Beverages D. Food And Beverages Answer: A QUESTION 143 You need to create a stored procedure that accepts a table-valued parameter named @Customers. Which code segment should you use? A. CREATE PROCEDURE AddCustomers (@Customers varchar(max)) B. CREATE PROCEDURE AddCustomers (@Customers Customer READONLY) C. CREATE PROCEDURE AddCustomers (@Customers CustomerType OUTPUT) D. CREATE PROCEDURE ADDCUSTOMERS (@Customers varchar (max)) AS EXTERNAL NAME Customer.Add.NewCustomer Answer: B Explanation: To create and use table-valued parameters, follow these steps: 1. Create a table type and define the table structure. /\* Create a table type. \*/ CREATE TYPE LocationTableType AS TABLE( LocationName VARCHAR(50), CostRate INT ); GO 2. Declare a routine that has a parameter of the table type. /\* Create a procedure to receive data for the table-valued parameter. \*/ CREATE PROCEDURE usp\_InsertProductionLocation @TVP LocationTableType READONLY AS SET NOCOUNT ON INSERT INTO [AdventureWorks2008R2].[Production].[Location] ([Name],[CostRate],[Availability],[ModifiedDate]) SELECT \*, 0, GETDATE() FROM @TVP; GO 3. Declare a variable of the table type, and reference the table type. /\* Declare a variable that references the type. \*/ DECLARE @LocationTVP AS LocationTableType; 4. Fill the table variable by using an INSERT statement. /\* Add data to the table variable. \*/ INSERT INTO @LocationTVP (LocationName, CostRate) SELECT [Name], 0.00 FROM [AdventureWorks2008R2].[Person].[StateProvince]; 5. After the table variable is created and filled, you can pass the variable to a routine. /\* Pass the table variable data to a stored procedure. \*/ EXEC usp\_InsertProductionLocation @LocationTVP; Restrictions Table-valued parameters must be passed as input READONLY parameters to Transact- SQL routines. You cannot perform DML operations such as UPDATE, DELETE, or INSERT on a table-valued parameter in the body of a routine. QUESTION 144 CREATE TRIGGER XY ON Inventory.XY FOR UPDATE, INSERT, DELETE EXECUTE AS SELF WebUser do INSERT statement on Inventory.XY table Which USER will the trigger use? A. DBO B. WebUser C. BuildUser Answer: C QUESTION 145 BEGIN TRAN INSERT INTO table ('Food') BEGIN TRAN INSERT INTO table ('Beverages') COMMIT TRAN ROLLBACK TRAN In table will be folowing items: A. None B. Food C. Beverages D. Food And Beverages Answer: A QUESTION 146 You have a list of Subscribers in a table. You were given an updated list of subscribers. You need to remove the records that are not in the new list of subscribers. Which statement would you use? A. When not matched from source. B. Pending C. Pending D. Pending Answer: A QUESTION 147 You need to manually raise an error. The error message that will be returned will display a message that contains parameters 1, 2, 3 sp\_addmessage @msgnum = 6000, @severity = 16, @msgtext = N'Your message (%d), (%d), (%d)'; GO You have to raise message to get correct message.. 'Your message (1), (2), (3).' Which statement will you use? A. RAISE\_ERROR(60000, 16, 1, 1, 2, 3) B. Pending C. Pending D. Pending Answer: A QUESTION 148 You are reviewing a trigger in the database which was deployed with the folowing script: EXECUTE AS USER = 'BuildUser' GO CREATE TRIGGER Inventory.TR\_Stock ON Inventory.Stock FOR INSERT, UPDATE, DELETE EXECUTE AS SELF AS ... A user 'WebUser' insert

rows into Inventory.Stock table. You need to identify under which security context the trigger will execute. A. DBOB. Inventory C. WebUserD. BuildUser Answer: D QUESTION 149Your database contains Products and Orders tables. You need to write a query which return ProductID of the products which have not been placed in any order. Which operator can you use? A. UnionB. Union ALLC. IntersectD. Exclude Answer: D QUESTION 150You administer a Microsoft SQL Server database named AdventureWorks2008R2.The database has a table that has the following definition:

```
CREATE TABLE Production.Location  
(  
    Name nvarchar(100) NOT NULL PRIMARY KEY,  
    StartDate datetime2(2) NOT NULL  
    CHECK (StartDate >= '2011-01-01')  
)
```

You plan to implement custom error handling for INSERT commands. The error number for a duplicate key is 2627. The error number for a NULL violation is 515.You need to ensure that an INSERT statement meets the following requirements:Which Transact-SQL statement should you use? C A.

```
A. BEGIN TRY  
    INSERT Production.Location (Name,StartDate)  
    VALUES ('Paint','2001-10-10')  
END TRY  
BEGIN CATCH  
    IF ERROR_NUMBER() <> 2627  
    BEGIN  
        DECLARE @msg nvarchar(2000)  
        SET @msg = case ERROR_NUMBER()  
            WHEN 515 THEN 'NULL:'  
            ELSE 'OTHER:' END + ERROR_MESSAGE()  
        RAISERROR 50010 @msg  
    END  
END CATCH  
B. BEGIN TRY  
    INSERT Production.Location (Name,StartDate)  
    SELECT 'Paint','2011-10-10'  
    WHERE NOT EXISTS (SELECT *  
        FROM Production.Location as L  
        WHERE L.Name = 'Paint')  
END TRY  
BEGIN CATCH  
    DECLARE @msg nvarchar(2000)  
    SET @msg = case ERROR_NUMBER()  
        WHEN 515 THEN 'NULL:'  
        ELSE 'OTHER:' END + ERROR_MESSAGE()  
    RAISERROR (@msg,16,1)  
END CATCH  
C. DECLARE @msg nvarchar(2000)  
    INSERT Production.Location (Name,StartDate)  
    VALUES ('Paint','2011-10-18')  
  
    IF @@error = 515  
    BEGIN  
        SET @msg = 'NULL:' + Error_Message()  
        RAISERROR (@msg,16,1)  
    END  
    ELSE  
    BEGIN  
        SET @msg = 'OTHER:' + Error_Message()  
        RAISERROR (@msg,16,1)  
    END  
D. INSERT Production.Location (Name,StartDate)  
    VALUES ('Paint','2011-10-18')  
  
    IF @@error = 515  
        RAISERROR ('NULL:' + Error_Message(),16,1)
```

A. Option AB. Option BC. Option CD. Option D Answer: C 100% Full Money Back Guarantee Promised By Braindump2go to All 70-433 Exam Candiates: Braindump2go is confident that our NEW UPDATED 70-433 Exam Questions and Answers are changed with Microsoft Official Exam Center, If you cannot PASS 70-433 Exam, nevermind, we will return your full money back! Visit Braindump2go exam dumps collection website now and download 70-433 Exam Dumps Instantly Today!

Compared E

Pass4su

202 Q&As - Prac

\$125.99

No Discount

<http://www.braindump2go.com/70-433.html>