


[OFFICIAL]Braindump2go 70-515 Practice Exams Download (1-10)

MICROSOFT NEWS: 70-515 Exam Questions has been Updated Today! Get Latest 70-515 VCE and 70-515 PDF Instantly!
Welcome to Download the Newest Braindump2go 70-515 VCE&70-515 PDF Dumps:

<http://www.braindump2go.com/70-515.html> (299 Q&As) 2015 Timesaving Comprehensive Guides For Microsoft 70-515 Exam: Using Latst Released Braindump2go 70-515 Practice Tests Questions, Quickly Pass 70-515 Exam 100%! Following Questions and Answers are all the New Published By Microsoft Official Exam Center! Exam Code: 70-515Exam Name: TS: Web Applications Development with Microsoft .NET Framework 4Certification Provider: MicrosoftCorresponding Certifications: MCPD, MCPD: Web Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Web Applications70-515 Dumps PDF,70-515 VCE,70-515 eBook,70-515 Microsoft Certification,70-515 Latest Dumps,70-515 Practice Test,70-515 Book,70-515 Dumps Free,70-515 Exam Dump,70-515 Exam Preparation,70-515 Braindumps,70-515 Braindump PDF,70-515 Practice Exam,70-515 Preparation Guide,70-515 eBook PDF

TS: Web Applications Development with Microsoft .NET Framework 4: 70-515



Product Description Exam Number/Code: 70-515

Exam Number/Code: 70-515

"TS: Web Applications Development with Microsoft .NET Framework 4", also known as 70-515 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 299 Q&As to your 70-515 Exam preparation. In the 70-515 exam resources, you will cover every field and category in Microsoft MCPD helping to ready you for your successful Microsoft Certification.

Free Demo Download

Braindump2go offers free demo for 70-515 exam (TS: Web Applications Development with Microsoft .NET Framework 4). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

☒ Printable PDF ☒ Premium VCE + VCE Simulator

Questions and Answers : 299 Q&As

Updated: Dec 22, 2015

~~\$129.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

QUESTION 1 You are implementing an ASP.NET application that uses data-bound GridView controls in multiple pages. You add JavaScript code to periodically update specific types of data items in these GridView controls. You need to ensure that the JavaScript code can locate the HTML elements created for each row in these GridView controls, without needing to be changed if the controls are moved from one page to another. What should you do? A. Replace the GridView control with a ListView control. B. Set the ClientIDMode attribute to Predictable in the web.config file. C. Set the ClientIDRowSuffix attribute of each unique GridView control to a different value. D. Set the @ OutputCache directive's VaryByControl attribute to the ID of the GridView control. Answer: C

QUESTION 2 You are implementing an ASP.NET application that includes a page named TestPage.aspx. TestPage.aspx uses a master page named TestMaster.master. You add the following code to the TestPage.aspx code-behind file to read a TestMaster.master public property named CityName. protected void Page_Load(object sender, EventArgs e) { string s = Master.CityName; } You need to ensure that TestPage.aspx can access the CityName property. What should you do? A. Add the following directive to TestPage.aspx. <%@ MasterType VirtualPath="~/TestMaster.master" %> B. Add the following directive to TestPage.aspx. <%@ PreviousPageType VirtualPath="~/TestMaster.master" %> C. Set the Strict attribute in the @ Master directive of the TestMaster.master page to true. D. Set the Explicit attribute in the @ Master directive of the TestMaster.master page to true. Answer: A

QUESTION 3 You are implementing an ASP.NET page. You add asp:Button controls for Help and for Detail. You add an ASP.NET skin file named default.skin to a theme. You need to create and use a separate style for the Help button, and you must use the default style for the Detail button. What should you do? A. Add the following markup to the default.skin file. <asp:Button ID="Help"></asp:Button><asp:Button ID="Default"></asp:Button> Use the following markup for the buttons in the ASP.NET page. <asp:Button SkinID="Help">Help</asp:Button><asp:Button SkinID="Default">Detail</asp:Button> B. Add the following markup to the default.skin file. <asp:Button SkinID="Help"></asp:Button><asp:Button ID="Default"></asp:Button> Use the following markup for the buttons in the ASP.NET page. <asp:Button SkinID="Help">Help</asp:Button><asp:Button SkinID="Default">Detail</asp:Button> C. Add the following code segment to default.skin. <asp:Button SkinID="Help"></asp:Button><asp:Button SkinID="Default"></asp:Button> Use the following markup for the buttons in the ASP.NET page. <asp:Button SkinID="Help"></asp:Button><asp:Button SkinID="Default">Detail</asp:Button> D. Add the following markup to default.skin. <asp:Button SkinID="Help"></asp:Button><asp:Button SkinID="Default"></asp:Button> Use the following markup for the buttons in the

ASP.NET page.<asp:Button SkinID="Help">Help</asp:Button><asp:Button>Detail</asp:Button> Answer: D QUESTION 4 You are creating an ASP.NET Web site. The site has a master page named Custom.master. The code-behind file for Custom.master contains the following code segment. public partial class CustomMaster : MasterPage { public string Region { get; set; } protected void Page_Load(object sender, EventArgs e) { } } You create a new ASP.NET page and specify Custom.master as its master page. You add a Label control named lblRegion to the new page. You need to display the value of the master page's Region property in lblRegion. What should you do? A. Add the following code segment to the Page_Load method of the page code-behind file. CustomMaster custom = this.Parent as CustomMaster; lblRegion.Text = custom.Region; B. Add the following code segment to the Page_Load method of the page code-behind file. CustomMaster custom = this.Master as CustomMaster; lblRegion.Text = custom.Region; C. Add the following code segment to the Page_Load method of the Custom.Master.cs code-behind file. Label lblRegion = Page.FindControl("lblRegion") as Label; lblRegion.Text = this.Region; D. Add the following code segment to the Page_Load method of the Custom.Master.cs code-behind file. Label lblRegion = Master.FindControl("lblRegion") as Label; lblRegion.Text = this.Region; Answer: B QUESTION 5 You are implementing an ASP.NET Web site. The site allows users to explicitly choose the display language for the site's Web pages. You create a Web page that contains a DropDownList named ddlLanguage, as shown in the following code segment. <asp:DropDownList ID="ddlLanguage" runat="server" AutoPostBack="True" ClientIDMode="Static" OnSelectedIndexChanged="SelectedLanguageChanged"><asp:ListItem Value="en">English</asp:ListItem><asp:ListItem Value="es">Spanish</asp:ListItem><asp:ListItem Value="fr">French</asp:ListItem><asp:ListItem Value="de">German</asp:ListItem></asp:DropDownList> The site contains localized resources for all page content that must be translated into the language that is selected by the user. You need to add code to ensure that the page displays content in the selected language if the user selects a language in the drop-down list. Which code segment should you use? A. protected void SelectedLanguageChanged(object sender, EventArgs e) { Page.UICulture = ddlLanguage.SelectedValue; } B. protected override void InitializeCulture() { Page.UICulture = Request.Form["ddlLanguage"]; } C. protected void Page_Load(object sender, EventArgs e) { Page.Culture = Request.Form["ddlLanguage"]; } D. protected override void InitializeCulture() { Page.Culture = ddlLanguage.SelectedValue; } Answer: B QUESTION 6 You are implementing an ASP.NET application that includes the following requirements. Retrieve the number of active bugs from the cache, if the number is present. If the number is not found in the cache, call a method named GetActiveBugs, and save the result under the ActiveBugs cache key. Ensure that cached data expires after 30 seconds. You need to add code to fulfill the requirements. Which code segment should you add? A. int? numOfActiveBugs = (int?)Cache["ActiveBugs"]; if (!numOfActiveBugs.HasValue) { int result = GetActiveBugs(); Cache.Insert("ActiveBugs", result, null, DateTime.Now.AddSeconds(30), Cache.NoSlidingExpiration); numOfActiveBugs = result; } ActiveBugs = numOfActiveBugs.Value; B. int numOfActiveBugs = (int)Cache.Get("ActiveBugs"); if (numOfActiveBugs != 0) { int result = GetActiveBugs(); Cache.Insert("ActiveBugs", result, null, DateTime.Now.AddSeconds(30), Cache.NoSlidingExpiration); numOfActiveBugs = result; } ActiveBugs = numOfActiveBugs; C. int numOfActiveBugs = 0; if (Cache["ActiveBugs"] == null) { int result = GetActiveBugs(); Cache.Add("ActiveBugs", result, null, DateTime.Now.AddSeconds(30), Cache.NoSlidingExpiration, CacheItemPriority.Normal, null); numOfActiveBugs = result; } ActiveBugs = numOfActiveBugs; D. int numOfActiveBugs = (int?)Cache["ActiveBugs"]; if (!numOfActiveBugs.HasValue) { int result = GetActiveBugs(); Cache.Insert("ActiveBugs", result, null, Cache.NoAbsoluteExpiration, TimeSpan.FromSeconds(30)); numOfActiveBugs = result; } ActiveBugs = numOfActiveBugs.Value; Answer: A QUESTION 7 You are implementing a method in an ASP.NET application that includes the following requirements. - Store the number of active bugs in the cache. - The value should remain in the cache when there are calls more often than every 15 seconds. - The value should be removed from the cache after 60 seconds. You need to add code to meet the requirements. Which code segment should you add? A. Cache.Insert("ActiveBugs", result, null, DateTime.Now.AddSeconds(60), TimeSpan.FromSeconds(15)); B. Cache.Insert("Trigger", DateTime.Now, null, DateTime.Now.AddSeconds(60), Cache.NoSlidingExpiration); CacheDependency cd = new CacheDependency(null, new string[] { "Trigger" }); Cache.Insert("ActiveBugs", result, cd, Cache.NoAbsoluteExpiration, TimeSpan.FromSeconds(15)); C. Cache.Insert("ActiveBugs", result, null, Cache.NoAbsoluteExpiration, TimeSpan.FromSeconds(15)); CacheDependency cd = new CacheDependency(null, new string[] { "ActiveBugs" }); Cache.Insert("Trigger", DateTime.Now, cd, DateTime.Now.AddSeconds(60), Cache.NoSlidingExpiration); D. CacheDependency cd = new CacheDependency(null, new string[] { "Trigger" }); Cache.Insert("Trigger", DateTime.Now, null, DateTime.Now.AddSeconds(60), Cache.NoSlidingExpiration); Cache.Insert("ActiveBugs", result, cd, Cache.NoAbsoluteExpiration, TimeSpan.FromSeconds(15)); Answer: B QUESTION 8 You are implementing an ASP.NET application that will use session state in out-of-proc mode. You add the following code. public class Person { public string FirstName { get; set; } public string LastName { get; set; } } You need to add an attribute to the Person class to ensure that you can save an instance to session state. Which attribute should you use? A. Bindable B. DataObject C. Serializable

D. DataContract Answer: C QUESTION 9 You create a Web page named TestPage.aspx and a user control named contained in a file named TestUserControl.ascx. You need to dynamically add TestUserControl.ascx to TestPage.aspx. Which code segment should you use? A. `protected void Page_Load(object sender, EventArgs e){Control userControl = Page.LoadControl("TestUserControl.ascx");Page.Form.Controls.Add(userControl);}` B. `protected void Page_Load(object sender, EventArgs e){Control userControl = Page.FindControl("TestUserControl.ascx");Page.Form.Controls.Load(userControl);}` C. `protected void Page_PreInit(object sender, EventArgs e){Control userControl = Page.LoadControl("TestUserControl.ascx");Page.Form.Controls.Add(userControl);}` D. `protected void Page_PreInit(object sender, EventArgs e){Control userControl = Page.FindControl("TestUserControl.ascx");Page.Form.Controls.Load(userControl);}` Answer: C QUESTION 10 You create a Web page named TestPage.aspx and a user control named TestUserControl.ascx. TestPage.aspx uses TestUserControl.ascx as shown in the following line of code. `<uc:TestUserControl ID="testControl" runat="server"/>` On TestUserControl.ascx, you need to add a read-only member named CityName to return the value "New York". You also must add code to TestPage.aspx to read this value. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.) A. Add the following line of code to the TestUserControl.ascx.cs code-behind file. `public string CityName{get { return "New York"; }}` B. Add the following line of code to the TestUserControl.ascx.cs code-behind file. `protected readonly string CityName = "New York";` C. Add the following code segment to the TestPage.aspx.cs code-behind file. `protected void Page_Load(object sender, EventArgs e){string s = testControl.CityName;}` D. Add the following code segment to the TestPage.aspx.cs code-behind file. `protected void Page_Load(object sender, EventArgs e){string s = testControl.Attributes["CityName"];}` Answer: AC Braindump2go New Published Exam Dumps: Microsoft 70-515 Practice Tests Questions, 299 Latest Questions and Answers from Official Exam Centre Guarantee You a 100% Pass! Free Download Instantly!

TS: Web Applications Development with Microsoft .NET Framework 4: 70-515



Questions and Answers : 299 Q&As
Updated: Dec 22, 2015
~~\$429.99~~ **\$99.99**
[PDF DEMO](#)
[CHECK OUT](#)

Product Description Exam Number/Code: 70-515

Exam Number/Code: 70-515

"TS: Web Applications Development with Microsoft .NET Framework 4", also known as 70-515 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 299 Q&As to your 70-515 Exam preparation. In the 70-515 exam resources, you will cover every field and category in Microsoft MCPD helping to ready you for your successful Microsoft Certification.

Free Demo Download

Braindump2go offers free demo for 70-515 exam (TS: Web Applications Development with Microsoft .NET Framework 4). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

☒ **Printable PDF** ☒ **Premium VCE + VCE Simulator**

FREE DOWNLOAD: NEW UPDATED 70-515 PDF Dumps & 70-515 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-515.html> (299 Q&As)