

2015 Braindump2go Microsoft 70-469 VCE Dumps Free Download (121-130)

Quick and Effective Microsoft 70-469 Exam Preparation Options - Braindump2go new released 70-469 Exam Dumps Questions! Microsoft Official 70-469 relevant practice tests are available for Instant downloading at Braindump2go! PDF and VCE Formates, easy to use and install! 100% Success Achievement Guaranteed! Vendor: MicrosoftExam Code: 70-469Exam Name: Recertification for MCSE: Data PlatformKeywords: 70-469 Exam Dumps,70-469 Practice Tests,70-469 Practice Exams,70-469 Exam Questions,70-469 PDF,70-469 VCE Free,70-469 Book,70-469 E-Book,70-469 Study Guide,70-469 Braindump,70-469 Prep Guide

Compare
Pass4
281 Q&As -
\$124.99
No Discount

QUESTION 121You create a stored procedure that retrieves all of the rows from a table named Table1.You need to recommend a solution to ensure that all of the statements in the stored procedure can be executed if another transaction is modifying rows in Table1 simultaneously.What should you recommend? A. Snapshot isolationB. A database snapshotC. FilegroupsD. Indexes Answer: AExplanation:Once snapshot isolation is enabled, updated row versions for each transaction are maintained in tempdb. A unique transaction sequence number identifies each transaction, and these unique numbers are recorded for each row version. The transaction works with the most recent row versions having a sequence number before the sequence number of the transaction. Newer row versions created after the transaction has begun are ignored by the transaction.Transaction Isolation Levels QUESTION 122You have a SQL Server instance on a server named Server1.You need to recommend a solution to perform the following tasks every week:- Rebuild the indexes by using a new fill factor.- Run a custom T-SQL command.- Back up the databases.What should you recommend?More than one answer choice may achieve the goal. Select the BEST answer. A. A triggerB. An alertC. A maintenance planD. Windows PowerShellE. A system policy Answer: CExplanation:Maintenance plans create a workflow of the tasks required to make sure that your database is optimized, regularly backed up, and free of inconsistencies.Maintenance Plans QUESTION 123Hotspot QuestionYou use SQL Server 2014. You create a table within a database by using the following DDL: (CREATE TABLE Ord

```
(
  OrderID INT IDENTITY(1,1) NOT NULL,
  OrderDate SMALLDATETIME NOT NULL,
  CustomerID INT NOT NULL,
  IsTaxable INT NOT NULL,
  SubTotal MONEY NOT NULL,
  TaxAmount AS (SubTotal * IsTaxable) NOT NULL,
  Freight SMALLMONEY NOT NULL,
  OrderReturnedDate DATETIME NULL,
  OrderReturnedCustomerID INT NULL,
  OrderReturnedEvaluation INT NULL
)
```

The following table illustrates a representative sample of data:

OrderID	OrderDate	CustomerID	IsTaxable	SubTotal	TaxAmount	Freight
1	11/13/2013 11:22	58465	NULL	\$ 25.99	NULL	\$ 5.40
2	11/15/2013 9:34	12588	NULL	\$ 42.00	NULL	NULL
3	12/1/2013 14:34	85477	NULL	\$ 23.99	NULL	\$ 4.85
4	12/17/2013 4:31	58742	NULL	\$ 19.00	NULL	NULL
5	1/5/2014 18:39	63214	NULL	\$ 5.69	NULL	\$ 5.40
6	1/15/2014 14:22	85471	NULL	\$ 18.99	NULL	\$ 7.85
7	1/19/2014 3:20	85412	NULL	\$ 65.77	NULL	NULL
8	1/22/2014 13:44	12588	NULL	\$ 22.38	NULL	\$ 7.35
9	1/28/2014 10:14	85471	1	\$ 24.99	\$ 2.19	\$ 5.40

The system is expected to handle 50 million orders a month over the next five years.You have been instructed by your Team Lead to follow best practices for storage and performance in the utilization of SPARSE columns.Which columns should you designate as SPARSE? To answer, mark each column as SPARSE or NOT SPARSE in the answer area.

Answer Area

Column Names	Sparse	Not Sparse
OrderID	<input type="radio"/>	<input type="radio"/>
OrderDate	<input type="radio"/>	<input type="radio"/>
CustomerID	<input type="radio"/>	<input type="radio"/>
IsTaxable	<input type="radio"/>	<input type="radio"/>
SubTotal	<input type="radio"/>	<input type="radio"/>
TaxAmount	<input type="radio"/>	<input type="radio"/>
Freight	<input type="radio"/>	<input type="radio"/>

Answer: Answer Area

Column Names	Sparse	Not Sparse
OrderID	<input type="radio"/>	<input checked="" type="radio"/>
OrderDate	<input type="radio"/>	<input checked="" type="radio"/>
CustomerID	<input type="radio"/>	<input checked="" type="radio"/>
IsTaxable	<input checked="" type="radio"/>	<input type="radio"/>
SubTotal	<input type="radio"/>	<input checked="" type="radio"/>
TaxAmount	<input checked="" type="radio"/>	<input type="radio"/>
Freight	<input checked="" type="radio"/>	<input type="radio"/>

QUESTION 124
Drag and Drop Questions
You plan to deploy a database to SQL Azure. You are designing two stored procedures named USP_1 and USP_2 that have the following requirements:- Prevent data read by USP_1 from being modified by other active processes.- Allow USP_2 to perform dirty reads. You need to recommend the isolation level for the stored procedures. The solution must maximize concurrency. Which isolation levels should you recommend? To answer, drag the appropriate isolation level to the correct stored procedure in the answer area.

Isolation Levels	Answer Area
read committed	SP1 Isolation level
read uncommitted	Isolation level
repeatable read	
serializable	

Answer:

Isolation Levels	Answer Area
read committed	SP1 repeatable read
read uncommitted	read uncommitted
repeatable read	
serializable	

QUESTION 125 You use SQL Server 2014 to maintain the data used by applications at your company. You want to execute two statements. You need to guarantee that either both statements succeed, or both statements fail together as a batch. Which code should you use?

- ☐ A. `BEGIN TRY
INSERT TABLE1 (FIELD1) VALUES ('ONE')
INSERT TABLE2 (FIELD1) VALUES ('TWO')
END TRY
BEGIN CATCH
ROLLBACK TRANSACTION
THROW
END CATCH`
- ☐ B. `BEGIN TRY
INSERT TABLE1 (FIELD1) VALUES ('ONE')
INSERT TABLE2 (FIELD1) VALUES ('TWO')
END TRY
BEGIN CATCH
THROW
ROLLBACK TRANSACTION
END CATCH`
- ☐ C. `BEGIN TRANSACTION
INSERT TABLE1 (FIELD1) VALUES ('ONE')
INSERT TABLE2 (FIELD1) VALUES ('TWO')
COMMIT TRANSACTION
ELSE
ROLLBACK TRANSACTION`
- ☐ D. `BEGIN TRY
BEGIN TRANSACTION
INSERT TABLE1 (FIELD1) VALUES ('ONE')
INSERT TABLE2 (FIELD1) VALUES ('TWO')
COMMIT TRANSACTION
END TRY
BEGIN CATCH
ROLLBACK TRANSACTION
END CATCH`
- ☐ E. `BEGIN TRY
INSERT TABLE1 (FIELD1) VALUES ('ONE')
INSERT TABLE2 (FIELD1) VALUES ('TWO')
END TRY
BEGIN CATCH
THROW
END CATCH`

A. Option A B. Option B C. Option C D. Option D E. Option E Answer: D Explanation: Structure should be: BEGIN TRY BEGIN TRANSACTION COMMIT TRANSACTION END TRY BEGIN CATCH ROLLBACK TRANSACTION END CATCH.

TRY...CATCH (Transact-SQL) QUESTION 126 You deploy a SQL Server instance named SQLProd that uses SQL Server 2014. You need to recommend a solution to monitor the transactions that are running currently against SQLProd. The solution must minimize the amount of custom code required. What should you recommend? A. Statistics B. A dynamic management view C. A trigger D. User-defined views Answer: B Explanation: Dynamic management views and functions return server state information that can be used to monitor the health of a server instance, diagnose problems, and tune performance. Transactions can be monitored. Dynamic Management Views and Functions (Transact-SQL)

QUESTION 127 Drag and Drop Questions You have a SQL Azure database named Database1. You need to design the schema for a table named table1. Table1 will have less than one million rows. Table1 will contain the following information for each row:

Column	Description
ID	An incremental numeric value used to identify the row
Name	A string value
Code	An alphanumeric code that has five characters
ModifiedDate	The date of the last modification

The solution must minimize the amount of space used to store each row. Which data types should you recommend for each column? To answer, drag the appropriate data type to the correct column in the answer area.

Data Types	Answer Area	
int	ID	Data type
bigint	Name	Data type
varchar	Code	Data type
nvarchar	ModifiedDate	Data type
char		
smalldatetime		
date		

Answer:

Data Types	Answer Area	
int	ID	int
bigint	Name	varchar
varchar	Code	char
nvarchar	ModifiedDate	date
char		
smalldatetime		
date		

QUESTION 128 You have a SQL Server 2014 instance named SQL1. SQL1 creates error events in the Windows Application event log. You need to recommend a solution that will run an application when SQL1 logs a specific error in the Application log. Which SQL elements should you include in the recommendation? (Each correct answer presents part of the solution. Choose all that apply.)

A. A policy B. A maintenance plan C. An alert D. A job E. A trigger

Answer: DE

Explanation: Use a trigger that starts a job which executes the application. <http://technet.microsoft.com/en-us/library/hh849759.aspx>

QUESTION 129 You have a database named DB1. You plan to create a stored procedure that will insert rows into three different tables. Each insert must use the same identifying value for each table, but the value must increase from one invocation of the stored procedure to the next. Occasionally, the identifying value must be reset to its initial value. You need to design a mechanism to hold the identifying values for the stored procedure to use. What should you do? More than one answer choice may achieve the goal. Select the BEST answer.

A. Create a sequence object that holds the next value in the sequence. Retrieve the next value by using the stored procedure. Reset the value by using an ALTER SEQUENCE statement as needed.

B. Create a sequence object that holds the next value in the sequence. Retrieve the next value by using the stored procedure. Increment the sequence object to the next value by using an ALTER SEQUENCE statement. Reset the value as needed by using a different ALTER SEQUENCE statement.

C. Create a fourth table that holds the next value in the sequence. At the end each transaction, update the value by using the stored procedure. Reset the value as needed by using an UPDATE statement.

D. Create an identity column in each of the three tables. Use the same seed and the same increment for each table. Insert new rows into the tables by using the stored procedure. Use the DBCC CHECKIDENT command to reset the columns as needed.

Answer: A

Explanation: * an application can obtain the next sequence number without inserting the row by calling the NEXT VALUE FOR function. * ALTER SEQUENCE Includes argument: RESTART [WITH <constant>] The next value that will be returned by the sequence object. If provided, the RESTART WITH value must be an integer that is less than or equal to the maximum and greater than or equal to the minimum value of the sequence object. If the WITH value is omitted, the sequence numbering restarts based on the original CREATE SEQUENCE options. * CREATE SEQUENCE Creates a sequence object and

specifies its properties. A sequence is a user-defined schema bound object that generates a sequence of numeric values according to the specification with which the sequence was created. The sequence of numeric values is generated in an ascending or descending order at a defined interval and can be configured to restart (cycle) when exhausted. Sequence Numbers QUESTION 130 Your network contains an Active Directory domain that has two groups named Group1 and Group2. The domain contains two SQL Server instances named SQLDev and SQLProd. Each SQL Server instance has access to various storage media. The SQL Server instances have a database that contains a table named Table1. Table1 contains a column named Column1. The value for Column1 can be either Value1 or Value2. You need to recommend a solution to ensure that users in Group1 can retrieve only rows from Column1 that contain the value of Value1. What should you recommend? A. A dynamic management view B. Filegroups C. Snapshot isolation D. User-defined views Answer: D Explanation: A view is a virtual table whose contents are defined by a query. Like a table, a view consists of a set of named columns and rows of data. Unless indexed, a view does not exist as a stored set of data values in a database. The rows and columns of data come from tables referenced in the query defining the view and are produced dynamically when the view is referenced. A view acts as a filter on the underlying tables referenced in the view.

<http://msdn.microsoft.com/en-us/library/ms190174.aspx> Incorrect: Not A: Dynamic management views and functions return server state information that can be used to monitor the health of a server instance, diagnose problems, and tune performance.

[http://technet.microsoft.com/en-us/library/ms188754\(v=sql.120\).aspx](http://technet.microsoft.com/en-us/library/ms188754(v=sql.120).aspx) All 292 Microsoft 70-469 Exam Dumps Questions are the New Checked and Updated! In recent years, the 70-469 certification has become a global standard for many successful IT companies. Looking to become a certified Microsoft professional? Download Braindump2go 2015 Latest Released 70-469 Exam Dumps Full Version and Pass 70-469 100%!

Compared Before Buying Microsoft 70-469 PDF & VCE!		
Pass4sure	Braindump2go 100% Pass OR Money Back	Test King
281 Q&As – Practice	292 Q&As – Real Questions	281 Q&As – Practice
\$124.99	\$99.99	\$171.32
No Discount	Coupon Code: BDNT2014	No Discount

<http://www.braindump2go.com/70-469.html>