


## [2017-New-ExamsValid Braindump2go NS0-158 Dumps 421q Offer[1-8

2017 May Version | New NS0-158 Exam Dumps with VCE and PDF Free Updated in [www.Braindump2go.com](http://www.Braindump2go.com) Today!100% Real Exam Questions! 100% Exam Pass Guaranteed!1.[2017 Version New NS0-158 Exam Dumps (PDF & VCE) 421Q&As Download:<http://www.braindump2go.com/ns0-158.html> 2.[2017 Version New NS0-158 Exam Questions & Answers Download: <https://drive.google.com/drive/folders/0B75b5xYLjSSNUWNTQ3dmbXc1d2s?usp=sharing> QUESTION 1Click the Exhibit button. The maximum RAID group size of the RAID-DP aggr1 shown in the exhibit is 18. You expand the aggregate by 20 disks.



How many of the new disks are used for data? A. 20B. 16C. 14D. 18 Answer: CExplanation:RAID 6 extends RAID 5 by adding another parity block; thus, it uses block-level striping with two parity blocks distributed across all member disks.Figure: Diagram of a RAID 6 setup, which is identical to RAID 5 other than the addition of a second parity block



QUESTION 2Which command prompt is displayed when a cluster named cl1 is in Advanced privilege mode? A. cl1::>B. cl1::\*>C. cl1-01>D. SP cl1-01> Answer: BExplanation:The following example sets the privilege level to advanced and then to admin:vs1::> set -privilege advancedWarning: These advanced commands are potentially dangerous; use them only when directed to do so by technical support.Do you wish to continue? (y or n): yvs1::\*> set -privilege admin

<https://library.netapp.com/ecmdocs/ECMP1196807/html/GUID-FBB48AE8-C74D-4472-A5CD-799D46ED2E85.html> QUESTION 3You want to permanently reassign ownership of an aggregate to a node's partner.What should you do to accomplish this task? A. Reassign ownership of each disk in the aggregate to the partner node.B. Execute the storage aggregate relocation start command.C. Execute the storage failover command.D. Move all volumes on the aggregate to an aggregate that is owned by the partner.

Answer: BExplanation:To start the aggregate relocation process us the command: storage aggregate relocation start  
<https://library.netapp.com/ecmdocs/ECMP1196905/html/GUID-AE98144E-002D-405D-88C5-198DC4B05F55.html> QUESTION 4You want to use UTA2 ports for native FC LUN access.How do you accomplish this task? A. Configure the UTA2 ports as target ports with 16 Gb SFP+ transceivers.B. Configure the UTA2 ports as target ports with 10 Gb SFP+ transceiversC. Configure the UTA2 ports as initiator ports with 10 Gb SFP+ transceiversD. Configure the UTA2 ports as initiator ports with 16 Gb SFP+ transceivers Answer: DExplanation:Native Fibre Channel drives attach directly to the Fibre Channel SAN, eliminating the need for a router.NetApp uses the marketing term "UTA2" to refer to a new generation of network adapters that can be configured as either 10-Gb Ethernet and FCoE ports or as 16-Gb FC initiator or target ports.

<https://library.netapp.com/ecmdocs/ECMP1636035/html/GUID-EC0DDAEE-1178-48EF-B90D-0A7DF498F71B.html> QUESTION 5Click the Exhibit button. After logging into an SVM using the vsadmin user account, you are able to see existing volumes, but are unable to create new volumes.

```
omegalin@:~$ vserver show -vserver acmef01

Vserver: acmef01
Vserver Type: data
Vserver Subtype: default
Vserver UUID: 4fca04fc-9535-11e6-af9c-00a09992e0f1
Root Volume: acmef01_root
Aggregate: sas_01
NIS Domain: -
Root Volume Security Style: ntfs
LDAP Client: -
Default Volume Language Code: C.UTF-8
Snapshot Policy: default
Comment:
Quota Policy: default
List of Aggregates Assigned: -
Limit on Maximum Number of Volumes allowed: unlimited
Vserver Admin State: running
Vserver Operational State: ready
Disallowed Protocols: -
Is Vserver with Indefinite Volume: false
QoS Policy Group: -
Caching Policy Name: -
Comd Lock: false
Iface Name: Default
Foreground Process: -

omegalin@:~$ security login show -vserver acmef01 -user-or-group-name vsadmin

Vserver: acmef01

User/Group Name      Application      Authentication Method      Role Name      Acct Locked      Is-Newswitch Group
-----
vsadmin              http            password                vsadmin        no               no
vsadmin              ontop           password                vsadmin        no               no
vsadmin              ssh             password                vsadmin        no               no
3 entries were displayed.
```

Referring to the configuration shown in the exhibit, what is the problem? A. The vsadmin user is not assigned the correct application access.B. No aggregates have been assigned to the SVM.C. Aggregate SAS\_01 is out of space.D. The vsadmin role does not have the create volumes privilege. Answer: D QUESTION 6The NVM Express (NVMe) flash capacity is upgradeable in which two systems? (Choose two.) A. FAS9000B. FAS8200C. FAS2650D. AFF A700 Answer: ABExplanation:The latest generation of FAS2600, FAS8200 and FAS9000 families now support internal NVMe drives for FlashCache functionality to address this use case.[https://www.theregister.co.uk/2017/01/31/netapp\\_and\\_nvme\\_drives\\_and\\_fabric\\_access/](https://www.theregister.co.uk/2017/01/31/netapp_and_nvme_drives_and_fabric_access/) QUESTION 7What is an array LUN? A. a LUN provisioned in ONTAP that is mounted by a connected hostB. a LUN provisioned on third-party storage that ONTAP will use as a passthrough LUNC. a LUN that is used only as a part of a volume groupD. a LUN provisioned on third-party storage that ONTAP will use in a RAID group Answer: AExplanation:The Data ONTAP software-based scheme provides ownership control only for storage systems running Data ONTAP; it does not prevent a different type of host from overwriting data in an array LUN owned by a system running Data ONTAP. Therefore, if multiple hosts are accessing array LUNs through the same storage array port, be sure to use LUN security on your storage array to prevent the systems from overwriting each other's array LUNs.  
<https://library.netapp.com/ecmdocs/ECMP1196986/html/GUID-D5079042-EA9A-4052-9B00-670B3728FFAA.html> QUESTION 8Which two features are supported by SnapLock Enterprise but not by SnapLock Compliance? (Choose two.) A. FlexArrayB. privileged deleteC. NetApp Volume Encryption (NVE)D. SnapMirror Answer: BDEExplanation:Features supported by SnapLock Enterprise but not by SnapLock Compliance include:Note:Comparison table of SnapLock Enterprise and SnapLock Compliance The SnapLock Enterprise and the SnapLock Compliance features differ in terms of the options and permissions available for both the features. !!!RECOMMEND!!! 1.|2017 Version New NS0-158 Exam Dumps (PDF & VCE) 421Q&As Download: <http://www.braindump2go.com/ns0-158.html> 2.|2017 Version New NS0-158 Study Guide Video: YouTube Video: [YouTube.com/watch?v=5Dhu18qCw4Q](https://www.youtube.com/watch?v=5Dhu18qCw4Q)