## [Braindump2go 350-080 Exam PDF Free Download (231-240)

CISCIO NEW UPDATED: New Updated 350-080 Exam Questions from Braindump2go 350-080 PDF Dumps and 350-080 VCE Dumps! Welcome to Download the Newest Braindump2go 350-080 VCE&PDF Dumps:

http://www.braindump2go.com/350-080.html (394 Q&As) 2015 Timesaving Comprehensive Guides For Cisco 350-080 Exam: Using Latst Released Braindump2go 350-080 Practice Tests Questions, Quickly Pass 350-080 Exam 100%! Following Questions and Answers are all the New Published By Cisco Official Exam Center! Vendor: CiscoExam Code: 350-080Exam Name: CCIE Data Center Written Exam350-080 Dumps,350-080 Exam Dumps,350-080 Brainfump,350-080 Questions,350-080 VCE,350-080

PDF,350-080 Actual Test,350-080 Study Guide,350-080 Book,350-080 CCIE Data Center Written Exam,350-080 Test



QUESTION 231Which two methods can be used in communications between the Cisco Nexus 1000V VEM and the VSM? (Choose two.) A. routed TCP traffic using HTTPSB. routed UDP traffic using port 4785C. routed UDP traffic using port 7845 D. Layer 2 direct traffic using MAC addressesE. Layer 2 broadcast trafficF. routed TCP traffic using port 4785G. routed TCP traffic using port 7845 Answer: BD QUESTION 232Refer to the exhibit. An administrator is setting up the VSM and VEM in Layer 3 mode. The administrator adds a host to the distributed switch in VMware, but does not see the module join the VSM. Given the configuration in the exhibit, which three configuration items must be included in the configuration? (Choose three.)

vavare port-group
switchport node tr
switchport trunk a
no shutdown
system vlan 1.150,
state enable;

port-profile type ve
vavare port-group
switchport node ac
switch access vlan
no shutdown
system vlan 1400
state enabled

A. The vEthernet Port Profile parameter must be set to Capability I3control.B. The vEthernet Port Profile parameter must be set to VSM I3control.C. The Ethernet Port Profile parameter must be set to System VLAN 1400.D. The Ethernet Port Profile parameter must be set to VLAN 1400 in the allowed trunk.E. The Ethernet Port Profile parameter must be set to Capability I3control.F. The vEthernet Port Profile parameter must be set to Mode Trunk. G. The vEthernet Port Profile parameter must be set to VEM I3control. Answer: ACD QUESTION 233Refer to the exhibit. An administrator is setting up the VSM and VEM in Layer 3 mode. The administrator adds a host to the distributed switch in VMware, but does not see the module join the VSM. Given the

configuration in the exhibit, which configuration needs to be included?

svs-domain
domain id 511
control vlan 1

Brown of First Control
interface control
ip address 10.10.10.100/24

A. ip route 0.0.0.0 0.0.0.0 10.10.10.1B. vrf context controlip route 0.0.0.0 0.0.0.0 10.10.10.1C. vrf context managementip route 0.0.0.0 0.0.0.0 10.10.10.1D. ip route vrf management 0.0.0.0 0.0.0.0 10.10.10.1 Answer: A QUESTION 234Where can port profiles be created for the Cisco Nexus 1000V? A. on the VSM onlyB. on vCenter onlyC. on VSM and vCenterD. on VSM

and VEME. on VSM, VEM, and vCenter Answer: A QUESTION 235Where can port profiles be applied to a virtual machine? A. on the VSM onlyB. on vCenter onlyC. on VSM and vCenterD. on VSM and VEME. on VSM, VEM, and vCenter Answer: B QUESTION 236The Cisco Nexus 1000V Series implementation has two main components. Which two components together make up the Cisco Nexus 1000V Series Switch? (Choose two.) A. virtual supervisor moduleB. virtual Ethernet moduleC. virtual machine NICsD. virtual machine kernel NICs Answer: AB QUESTION 237Refer to the exhibit. A port profile is created in the VSM, but it is not seen in vCenter and cannot be assigned to a virtual machine. Given the configuration in the exhibit, which VSM command will resolve this issue?

? port-profile type vethernet VLAN-100
switchport mode access
nc shutdown
state enabled

A. vmware port-groupB. vmware port-activeC. profile-activeD. port-group activeE. shutdown / no shutdown Answer: A QUESTION 238Which two statements about dynamic port binding are true? (Choose two.) A. The port is connected when the VM is powered on and disconnected when the VM is powered off.B. The port is created when the VM is powered on and destroyed when the VM is powered off.C. The max-port limits are enforced.D. The max-port limits are not enforced.E. The port is always connected. Answer: AC QUESTION 239Refer to the exhibit. The network administrator is adding a new Cisco Nexus 1000V Switch to vCenter, but does not see the new switch under the vCenter networking tab. The administrator issues the command that is shown in the exhibit on VSM to troubleshoot this problem. When the administrator attempts to fix the issue, the error that is shown in the exhibit is seen. Which option describes the most correct cause of this error:


| Command: |

A. There is a missing control VLAN in the VSM configuration.B. There is a missing packet VLAN in the VSM configuration.C. VSM has no network connection to vCenter.D. The VSM extension key is not installed on vCenter.E. The vCenter extension key is not installed on VSM. Answer: D QUESTION 240Refer to the exhibit. Which option is valid for connecting the fabric

interconnect to the I/O module?



A. A, B, C, and D are valid.B. A and B are valid.C. A, B, and D are valid.D. Only A is valid. Answer: B Braindump2go Promise All 350-080 Questions and Answers are the Latest Updated,we aim to provide latest and guaranteed questions for all certifications. You just need to be braved in trying then we will help you arrange all left things! 100% Pass All Exams you want Or Full Money Back! Do yo want to have a try on passing 350-080? CCIE Data Center Written Exam: 350-080



FREE DOWNLOAD: NEW UPDATED 350-080 PDF Dumps & 350-080 VCE Dumps from Braindump2go: http://www.braindump2go.com/350-080.html (394 Q&A)