

## Latest Braindump2go Microsoft 70-484 Exam Dumps Free Download (11-20)

The 70-484 Exam Practice Questions and Answers are ideal for the aspiring candidates to grab exceptional grades in Microsoft 70-484 Exam! The 70-484 Questions and Answers are developed using the latest updated course content and all the answers are verified to ensure phenomenal preparation for the actual 70-484 Exam! Vendor: Microsoft Exam Code: 70-484 Exam Name: Microsoft Essentials of Developing Windows Store Apps using C# Keywords: 70-484 Exam Dumps, 70-484 Practice Tests, 70-484 Practice Exams, 70-484 Exam Questions, 70-484 PDF, 70-484 VCE Free, 70-484 Book, 70-484 E-Book, 70-484 Study Guide, 70-484 Braindump, 70-484 Prep Guide

Compared Before Buying Microsoft 70-484 PDF & VCE!		
Pass4sure	Braindump2go 100% Pass OR Money Back	Test King
118 Q&As – Practice	162 Q&As – Real Questions	50 Q&As – Practice
\$124.99	\$99.99	\$124.99
No Discount	Coupon Code: BDN2014	No Discount

QUESTION 11 You need to ensure that only the correct information is preserved when the user switches to another app. Which actions should you perform? (Each correct answer presents part of the solution. Choose all that apply.) A. Save photographs by calling the SaveDataToAzureStorage() method. B. Save application state by calling the SaveDataToLocalStoreQ method. C. Save application state by calling the SaveDataToRoamingStorage() method. D. Save photographs by calling the SaveDataToWebService() method. E. Save application state by calling the SaveDataToAzureStorage() method. F. Save photographs by calling the SaveDataToLocalStore() method. Answer: BF QUESTION 12 You need to update the app tile images. With which four code segments in sequence should you replace line AX23? (To answer, move the appropriate code segments from the list of code segments to the answer area and arrange them in the correct order.)

Answer Area

```
var tileUpdater =
TileUpdateManager.CreateTileUpda
terForApplication();
tileUpdater.Insert
(new TileNotification
(currentTemplate));

currentTemplate =
TileUpdateManager.GetTemplateCon
tent
(TileTemplateType.TileWideImage)
;

currentTemplate.GetXml();

// AX23
tileUpdater.Update
(new TileNotification
(currentTemplate));

imageNode.SetAttribute
("src", string.Format("ms-
appdata://{0}", GetRandomImage
()));

var imageNode = (XmlElement)
currentTemplate.GetElementsByTagName
("image")[0];

imageNode.SetAttribute
("src", string.Format("ms-
appx://{0}", GetRandomImage()));
```

Answer:

Answer Area

```
var tileUpdater =
TileUpdateManager.CreateTileUpda
terForApplication();
tileUpdater.Insert
(new TileNotification
(currentTemplate));

currentTemplate =
TileUpdateManager.GetTemplateCon
tent
(TileTemplateType.TileWideImage)
;

currentTemplate.GetXml();

// AX23
tileUpdater.Update
(new TileNotification
(currentTemplate));

imageNode.SetAttribute
("src", string.Format("ms-
appdata://{0}", GetRandomImage
()));

var imageNode = (XmlElement)
currentTemplate.GetElementsByTagName
("image")[0];

imageNode.SetAttribute
("src", string.Format("ms-
appx://{0}", GetRandomImage()));
```

QUESTION 13 You need to access the remote image data according to the requirements. Which data storage methods should you use? A. SaveDataToSqlAzureStorage() and GetDataFromSqlAzureStorage() B. SaveDataToRemoteStorage() and GetDataFromRemoteStorage() C. SaveDataToAzureStorage() and GetDataFromAzureStorage() D. SaveDataToWebService() and GetDataFromWebService() Answer: D Case Study: 2 - Scenario 2 (QUESTION 14 - QUESTION 23) Background You are developing a Windows Store app named Picture Sharer. The app will allow users to capture, modify, caption, and share pictures. Application Structure The ShareImageButton and GetContactsButton controls use the same foreground color. The foreground color might change in the future. The following code defines a custom button style named ButtonStyleRed:

```
<Style TargetType="Button" x:Key="ButtonStyleRed">
    <Setter Property="Foreground" Value="Red">
    </Setter>
    ...
</Style>
```

Relevant portions of the app files are shown. (Line numbers are included for reference only and include a two-character prefix that denotes the specific file to which they belong.) Business Requirements The app must meet the following business requirements:- Allow users to capture and retrieve pictures, modify pictures by adding a shading effect, and add captions to images.- Support only Landscape and Landscape-flipped orientations.- Ensure that users can select and modify images from the PictureChooserPage page.- Ensure that users can change the magnification of the selected image and resize the image by using pinch and stretch gestures. Scaling should be fluid and precisely controlled by the user. The app must be localized for the French Canadian market. Technical Requirements The app must meet the following technical requirements:- Scroll bars must not be visible.- The CaptionTextBlock and CaptionTextBox controls must appear side by side, without overlapping and on the same line. The CaptionTextBox control should appear to the right of the CaptionTextBlock control.- The ContactPicker object must be filtered to display only email addresses.- Minimize the code that is required to implement optical zoom functionality. You must perform the following tasks:- Handle the Click event of the GetPictureButton control to switch from the current page to the PictureChooserPage page.- After the user selects an image on the PictureChooserPage page, ensure that the app navigates back to the PictureSharerMainPage page.- Track the current screen orientation and page size by updating the \_currentViewState, \_currentHeight, and \_currentWidth fields every time the screen orientation or page size changes.- Create a style named ButtonStyleWhite that inherits all the style settings of the ButtonStyleRed style except the border color; the border color must be white. The ButtonStyleWhite style must automatically update with any changes that are made to the ButtonStyleRed style.- Create a resource named ButtonForegroundColor to implement the button foreground color so that it can be referenced in XAML by using the following standard syntax: Foreground="{StaticResource ButtonForegroundColor}"- Ensure that the OnNavigatedTo() method updates the current picture when a new picture is selected.- Change the background for the root Grid element to a vertical gradient that transitions from black at the top to maroon at the bottom. Create a resource named GridBackgroundGradientBrush to hold the requested gradient. While testing the app, you observe the following results:- An exception is being thrown in the GetContactsCompleted event handler when the retrieved email address is assigned to the RecipientsTextBlock control. The exception message states: "The application called an interface that was marshalled for a different thread."- When users navigate away from the PictureSharerMainPage page, information that was entered in the CaptionTextBox control is lost.

PictureSharerMainPage.xaml

```
KA01 <Page
KA02     x:Class="PictureSharer.PictureSharerMainPage"
KA03     xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
KA04     xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
KA05     xmlns:local="using:PictureSharer"
KA06     xmlns:ig="http://schemas.microsoft.com/expression/blend/2008"
KA07     xmlns:mr="http://schemas.openxmlformats.org/markup-compatibility/2006"
KA08     mr:Ignoreable="true"
KA09
KA10     <Grid Background="{StaticResource ApplicationPageBackgroundBrush}">
KA11         <Image x:Name="SelectedImage" Source="Images/blank.jpg" Width="800" Height="800" />
KA12         <CaptionTextBlock x:Name="CaptionTextBlock" />
KA13         <CaptionTextBox x:Name="CaptionTextBox" />
KA14         <StackPanel>
KA15             <TextBlock x:Name="CaptionTextBlock" />
KA16         </StackPanel>
KA17         <Button x:Name="ShareImageButton" Click="ShareImageButton_Click"
KA18             Foreground="{StaticResource ButtonForegroundColor}" />
KA19         <Button x:Name="GetContactsButton" Click="GetContactsButton_Click"
KA20             Foreground="{StaticResource ButtonForegroundColor}" />
KA21         <Button x:Name="GetPictureButton" Click="GetPictureButton_Click"
KA22             Foreground="{StaticResource ButtonForegroundColor}" />
KA23     </Grid>
KA24 </Page>
```

PictureSharerMainPage.xaml.cs

```
CS01 public sealed partial class PictureSharerMainPage : Page
CS02 {
CS03     private ApplicationViewState _currentViewState;
CS04     private double _currentHeight, _currentWidth;
CS05     public PictureSharerMainPage()
CS06     {
CS07         this.InitializeComponent();
CS08     }
CS09 }
CS10
CS11 protected override void OnNavigatedTo(NavigationEventArgs)
CS12 {
CS13 }
CS14 }
CS15 private void GetContactsButton_Click(object sender, RoutedEventArgs)
CS16 {
CS17     var picker = new ContactPicker();
CS18 }
CS19     var results = picker.PickSingleContactAsync();
CS20     results.Completed += GetContactsCompleted;
CS21 }
CS22 private void GetContactsCompleted(object sender, AsyncStatusEventArgs e)
CS23 {
CS24     var emailList = new List<string>();
CS25     var contact = e.GetResults();
CS26     if (contact.Emails.Count == 0)
CS27         return;
CS28     foreach (var info in contact.Emails)
CS29         emailList.Add(info.Value);
CS30     var email = string.Join(" ", emailList);
CS31     RecipientsTextBlock.Text = email;
CS32 }
CS33 private void ShareImageButton_Click(object sender, RoutedEventArgs)
CS34 {
CS35     SendImageToCloud();
CS36 }
CS37 private void SendImageToCloud()
CS38 {
CS39     ...
CS40 }
CS41 }
CS42 }
CS43 }
```

QUESTION 14 You need to enable the functionality to switch to the PictureChooserPage page. Which code segments should you insert at line CS42? (Each correct answer presents part of the solution. Choose all that apply.)

- A. `this.Frame.Navigate(typeof(PictureChooserPage));`
- B. `this.Frame.GoForward(typeof(PictureChooserPage));`
- C. `private void OpenPicture_Click(object sender, RoutedEventArgs e)`
- D. `private void GetPictureButton_Click(object sender, RoutedEventArgs e)`
- E. `this.Frame.Navigate("PictureChooserPage");`
- F. `private void GetPicture_Click(object sender, RoutedEventArgs e)`

A. Option AB. Option BC. Option CD. Option DE. Option EF. Option F Answer: AD Explanation: From scenario: You must perform the following tasks:- (D) Handle the Click event of the GetPictureButton control to switch from the current page to the PictureChooserPage page.- (A) After the user selects an image on the PictureChooserPage page, ensure that the app navigates back to the PictureSharerMainPage page.

QUESTION 15 You need to implement the required image magnification and manipulation requirements for selected images. Which actions should you perform? (Each correct answer presents part of the solution. Choose all that apply.)

A. Use the ManipulationDelta.RoutedEventArgs.Delta.Expansion value to implement optical zoom. B. Add a ManipulationMode attribute to the SelectedImage object and set the attribute to Translate. C. Use the ManipulationDelta.RoutedEventArgs.Delta.Scale value to implement optical zoom. D. Add a ManipulationDelta event to the SelectedImage object. E. Add a ManipulationMode attribute to the SelectedImage object and set the attribute to All. F. Add a ManipulationComplete event to the SelectedImage object. Answer: CDE Explanation:- From scenario: Ensure that users can change the magnification of the selected image and resize the image by using pinch and stretch gestures. Scaling should be fluid and precisely controlled by the user.

QUESTION 16 You need to implement the OnNavigatedTo() method to meet the requirements. Which code segment should you insert at line CS13?

- A. `if (e.NavigationMode == NavigationMode.Back)
{
 UpdateImage();
}`
- B. `if (e.TargetPageType == typeof(PictureSharerMainPage) && e.NavigationMode == NavigationMode.Back)
{
 UpdateImage();
}`
- C. `UpdateImage();`
- D. `if (e.SourcePageType == "PictureSharerMainPage" && e.NavigationMode == NavigationMode.Back)
{
 UpdateImage();
}`

A. Option AB. Option BC. Option CD. Option D Answer: A Explanation: From scenario: Ensure that the OnNavigatedTo() method updates the current picture when a new picture is selected. QUESTION 17 You need to localize the Picture Sharer app in the required language. Which actions should you perform? (Each correct answer presents part of the solution. Choose all that apply.) A. Add a Uid attribute to any XAML elements that must be localized. B. Create a folder named fr-CA at the root of the project. C. Create a resource file named resources.res.w. D. Create a resource file named resources.res.w. E. Create a folder named es-ES at the root of the project. F. Add a Name attribute to any XAML elements that must be localized. Answer: ABDE Explanation: - (A) To localize a certain property of a XAML element you only need to add a x:Uid="SomeKey" attribute to the element and add the appropriate resource to the .resw file. - (B) The app must be localized for the French Canadian market. - (BD) Example: A French language resource named "Greeting" whose value is "Bonjour!". To create the resource file, add a folder named fr-FR to your project, and then add a resource file named Resources.resw to the folder. - In Windows Store apps, you designate the names of localized resource files by creating a folder to store the resources and images of a supported culture. You can then describe the resource by using the culture name (such as "ko-kr") followed by the default resource name and resource file extension (such as "ko-kr Resources.resw"). [http://msdn.microsoft.com/en-us/library/windows/apps/hh694557\(v=vs.110\).aspx](http://msdn.microsoft.com/en-us/library/windows/apps/hh694557(v=vs.110).aspx) QUESTION 18 You need to modify the GetContactsCompleted event handler to prevent the exception. Which code segment should you use to replace line CS32?

```
A. this.CaptionTextBox.NavigationCache =  
    Windows.UI.Xaml.Navigation.NavigationCache.Enabled;  
  
B. this.NavigationCacheMode = Windows.UI.Xaml.Navigation.NavigationCacheMode.Required;  
  
C. this.CaptionTextBox.NavigationCacheMode =  
    Windows.UI.Xaml.Navigation.NavigationCacheMode.Required;  
  
D. this.NavigationCache = Windows.UI.Xaml.Navigation.NavigationCache.Enabled;
```

A. Option AB. Option BC. Option CD. Option D Answer: D Explanation: - An exception is being thrown in the GetContactsCompleted event handler when the retrieved email address is assigned to the RecipientsTextBlock control. The exception message states: "The application called an interface that was marshalled for a different thread." QUESTION 19 You need to retain the data that is entered in the TextBox control when the user navigates away from the PictureSharerMainPage page. Which code segment should you insert at line CS08? A. Option AB. Option BC. Option CD. Option D Answer: B Explanation: - NavigationCacheMode Specifies caching characteristics for a page involved in a navigation. - NavigationCacheMode.Required The page is cached and the cached instance is reused for every visit regardless of the cache size for the frame. QUESTION 20 You need to configure the ContactPicker object. Which code segment should you insert at line CS18? A. picker.DesiredFields.Add(KnownContactField.LastName); B. picker.DesiredFields.Add("Email"); C. picker.FiltersCollection.Add(ContactField.LastName); D. picker.FiltersCollection.Add(KnownContactField.FirstName); E. picker.DesiredFields.Add(KnownContactField.Email); Answer: E Explanation: The ContactPicker object must be filtered to display only email addresses. Latest 70-484 Questions and Answers from Microsoft Exam Center Offered by Braindump2go for Free Share Now! Read and remember all Real Questions Answers, Guaranteed Pass 70-484 Real Test 100% Or Full Money Back!

Compared Before
Pass4sure
118 Q&As – Practice
\$124.99
No Discount

<http://www.braindump2go.com/70-484.html>