[New 70-537 Dumps70-537 PDF and VCE 92Q Instant Download in Braindump2go[Q23-Q33

2018-10-29 Braindump2go 70-537 Exam Dumps with PDF and VCE New Updated Today! Following are some new 70-537 Real Exam Questions:1.|2018 Latest 70-537 Exam Dumps (PDF & VCE) 92Q&As Download:https://www.braindump2go.com/70-537.html2.|2018 Latest 70-537 Exam Questions & Answers Download:https://drive.google.com/drive/folders/1Ca7dKgVwY7mxl8BaUz-s4YT1zeRYpIBW?usp=sharing**Question: 23** You have Azure Stack integrated system.You receive the following Service fabric warning alert: The infrastructure role ComputeResourceProvider is experiencing issues."You plan to contact Microsoft support.You need to ensure that you can provide Microsoft support with all the diagnostics information to the alert.What should you do first?A. Connect to the privileged endpoint.B. From the Azure Stack administrator portal, view the API that corresponds to the alert.C. Connect to the hardware lifecycle host.D. Connect to the Azure resource Manager administrator endpoint.**Answer: D** **Question: 24** Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series. Start of repeated scenario.Your network contains an Active Directory forest named contoso.comYou deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.The Azure Stack integrated systems and the contoso.com forest are federated.The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:A 2-TB disk Generation 1 10 virtual cores 128 GB of RAMA disk named LinuxVhd.vhdxYou plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace on Dev is configured and ready to publish items. Dev contains one plan named Dev_Plan1 and one offer named Dev_Offer1.Prod contains two plans and two offers. One of the offers is named Offer1.All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location. The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.End of repeated scenario.You discovered that the developers of Dev have been testing the application on prod. You need to remove all the resource on prod consumed by Dev developers.Which cmdlet should you run?A. Remove-AzstenantSubscription B. remove-AzsSubscriptionC. Remove-AzsLocation D.Remove-Azsoffer**Answer: A** **Question: 25** HOTSPOTNote: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.Start of repeated scenario.Your network contains an Active Directory forest named contoso.comYou deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.The Azure Stack integrated systems and the contoso.com forest are federated.The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:A 2-TB disk Generation 1 10 virtual cores 128 GB of RAMA disk named LinuxVhd.vhdxYou plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace on Dev is configured and ready to publish items. Dev contains one plan named Dev_Plan1 and one offer named Dev_Offer1.Prod contains two plans and two offers. One of the offers is named Offer1.All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location. The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.End of repeated scenario.You need to add a custom Windows Server 2016 image to the Marketplace on Dev. Which command should you run?

Answer:

Explanation:References: **https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-add-vm-image#add-a-vm-image-to-marketplace-by-using-powershell**Question: 26   Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.Start of repeated scenario.Your network contains an Active Directory forest named contoso.comYou deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.The Azure Stack integrated systems and the contoso.com forest are federated.The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:A 2-TB disk Generation 1 10 virtual cores128 GB of RAMA disk named LinuxVhd.vhdxYou plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace on Dev is configured and ready to publish items. Dev contains one plan named Dev_Plan1 and one offer named Dev_Offer1.Prod contains two plans and two offers. One of the offers is named Offer1.All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location. The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.End of repeated scenario.You need to limit the resources available to the developers of Dev. The solution must meet the following resource requirements for the developers:?   Five storage accounts?   20 virtual machines?   IS virtual networks?   S00 GB of storage?   50 coresWhat is the minimum number of quotas that should be created to limit the resources?A.   1B.   2C.   3D.   5Answer: C   Explanation:You need a separate quota for each quota type: compute, storage, and network. References: **https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-quota-types**Question: 27   Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.Start of repeated scenario.Your network contains an Active Directory forest named contoso.comYou deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.The Azure Stack integrated systems and the contoso.com forest are federated.The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:A 2-TB disk Generation 1 10 virtual cores 128 GB of RAMA disk named LinuxVhd.vhdx You plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace on Dev is configured and ready to publish items. Dev contains one plan named Dev_Plan1 and one offer named Dev_Offer1.Prod contains two plans and two offers. One of the offers is named Offer1.All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location. The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.End of repeated scenario.You plan to replace Offer 1 with a new offer named Offer3.You need to prevent tenants and cloud operators from creating new subscriptions to Offer 1. Tenants already subscribed to Offer 1 must be able to continue using the subscriptions from Offer1.What should you do?A.   Redeploy Offer 1 to a new resource group.B.   Delete Offer 1C.   Mark Offer1 as PrivateD.   Decommission Offer1.Answer: D   Explanation: Offers can be:Public: Visible to users.Private: Only visible to cloud administrators. Useful while drafting the plan or offer, or if the cloud administrator wants to create each subscription for users.Decommissioned: Closed to new subscribers. The cloud administrator can use decommissioned to prevent future subscriptions, but leave current subscribers untouched.References: **https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-create-offer**Question: 28   Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.Start of repeated scenario.Your network contains an Active Directory forest named contoso.comYou deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.The Azure Stack integrated systems and the contoso.com forest are federated.The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:A 2-TB disk Generation 1 10 virtual cores 128 GB of RAM A disk named LinuxVhd.vhdxYou plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace on Dev is configured and ready to publish items. Dev contains one plan named Dev_Plan1 and one offer named Dev_Offer1.Prod contains two plans and two offers. One of the offers is named Offer1.All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location. The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.End of repeated scenario.You need to recommend a backup strategy for Prod.Which two technologies should you include in the recommendation?A.   AzCopyB.   a blob snapshotC.   a virtual machine checkpointD.   Microsoft Azure BackupAnswer: AD   References:**https://docs.microsoft.com/en-us/azure/backup/backup-mabs-files-applications-azure-stack**

Question: 29 Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.Start of repeated scenario.Your network contains an Active Directory forest named contoso.comYou deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.The Azure Stack integrated systems and the contoso.com forest are federated.The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:A 2-TB disk Generation 1 10 virtual cores 128 GB of RAMA disk named LinuxVhd.vhdxYou plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace on Dev is configured and ready to publish items. Dev contains one plan named Dev_Plan1 and one offer named Dev_Offer1.Prod contains two plans and two offers. One of the offers is named Offer1.All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location. The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.End of repeated scenario.You need to ensure that the team that supports the developers can perform Azure Stack operator tasks on Dev. The solution must minimize the amount of administrative effort required to manage the administrative rights.Which three actions should you perform? Each correct answer presents part of the solution.A. From the Azure Stack administrator portal, configure the Default Provider Subscription.B. In contoso.com, modify the group membership of the development users.C. From the Azure Stack administrator portal, create a new subscription.D. From PowerShell, run the New-CloudAdminUser cmdlet.E. From the Azure Stack administrator portal, create a new resource group.**Answer: ABD**
Question: 30 You deploy an Azure Stack integrated system. The system contains several tenants that use infrastructure as a service (IaaS) virtual machines. You need to recommend a solution to ensure that if a datacenter fails, you can start the virtual machines as quickly as possible. What should you include in the recommendation?A. Microsoft Azure BackupB. Microsoft Azure Site RecoveryC. blob snapshotsD. file-snapshot backups**Answer: B Question: 31** You have an Azure Slack Development Kit deployment.You receive a Storage Resource Provider alert indicating that a file share named SUl_ObjStore_4 on a volume named ObjStore_4 is more than 80 percent utilized.You verify that none of the storage accounts were recently deleted. You need to remediate the alert as quickly as possible.Which two actions should you perform?A. From the Azure Stack administrator portal, restart the infrastructure role.B. From the Azure Stack Resource Manager user endpoint, run Start-AzsReclaimStorageCapacity.C. From the Azure Stack Resource Manager administrator endpoint, migrate a container from the SU1)ObjStore_4 file share to a file share on a different volume.D. From the Azure Stack user portal, delete a storage account.E. From the Azure stack administrator portal modify the retention period.**Answer: AB Question: 32** HOTSPOT You need to retrieve the system logs and the event logs from only the hosts in an Azure Stack integrated system.Which command should you run? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

| Get-AzureRML |
| Get-AzureRML |
| Get-Azs... |

-FilterByRol

Answer:

| ▼ | -OutputPath | &path |

Get-AzureRMLog
Get-AzureRMLogProfile
Get-AzureStackLog

www.Braindump2go.com

-FilterByRole ▼

BareMetal
InfraServiceController
StorageController
VirtualMachines

 Explanation: References:**https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-diagnosticsQuestion: 33** You have an Azure Stack integrated system.You receive a storage alert that a tenant share is at 80 percent capacity. There are multiple container in the tenant share.You verify that there are no delete storage accounts.You need to increase the amount of space available on the tenant share. Which cmdlet Should run?A. start-AzsStorageContainerMigrationB. Set-AzsStorageQuotaC. Remove-AzsStorageQuota D.Start-AzsReclaimStoragecapacity**Answer: B** !!!RECOMMEND!!!1.|2018 Latest 70-537 Exam Dumps (PDF & VCE) 92Q&As Download:https://www.braindump2go.com/70-537.html2.|2018 Latest 70-537 Study Guide Video: YouTube Video: YouTube.com/watch?v=LruGEda-ZfM